

## SMART CAKE 115 LED GE


Smart cake is part of the Smart family. This family's styling is based on our most popular iconic designs. Its gently sloping sides ensure a soft distribution of light. Since its introduction in 2010, Smart has become an extensive portfolio with a broad range of accessories. Concretely this means that the luminaires consist of a light source (LED, halogen), which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...

Art. Nr. 12741846

## SPECIFICATIONS

|                 |   |               |        |        |
|-----------------|---|---------------|--------|--------|
| Lamp            | 1x LED Array  |               |        |        |
| Gear / Transfo  | LED gear not incl.  |               |        |        |
| Cut-out size    | ø 108 h 100   |               |        |        |
| Weight          | 0.522kg   |               |        |        |
| Min. Distance   | 0.1   |               |        |        |
| IP              | IP20  |               |        |        |
| Glow Wire Test  | 960°  |               |        |        |
| Source lifetime | 50000 hrs   |               |        |        |
| CRI             | 90  |               |        |        |
| Power supply    | 350mA   | <b>500mA</b>  | 700mA  | 900mA  |
|                 | 31Vf  | <b>32Vf</b>   | 34Vf   | 35Vf   |
| Connected load  | 11W   | <b>16.25W</b> | 23.6W  | 31.2W  |
| Lumen           | 1070lm  | <b>1467lm</b> | 1952lm | 2304lm |
| Efficacy        | 97lm/W  | <b>90lm/W</b> | 83lm/W | 74lm/W |
| UGR             | 17  | <b>18</b>     | 19     | 20     |
| Adjustability   | Not Applicable  |               |        |        |
| Remark          | ! 3500K on request  |               |        |        |
|                 | ! can be combined with Smart mask   |               |        |        |
|                 | ! can be combined with Smart surface box & surface tubed (surface/suspension) |               |        |        |

|             | WARM WHITE<br>2700K / CRI 90+ |             |              | NEUTRAL WHITE<br>4000K / CRI 90+ |             |                 | WARM WHITE<br>3000K / CRI 90+ |               |              |
|-------------|-------------------------------|-------------|--------------|----------------------------------|-------------|-----------------|-------------------------------|---------------|--------------|
|             | MEDIUM<br>25°                 | SPOT<br>15° | FLOOD<br>40° | MEDIUM<br>25°                    | SPOT<br>15° | FLOOD<br>40°    | SPOT<br>15°                   | MEDIUM<br>25° | FLOOD<br>40° |
| black struc | 12741032                      | 12741232    | 12741332     | 12741132                         | 12741732    | 12741832        | 12741432                      | 12741532      | 12741632     |
| gold        | 12741046                      | 12741246    | 12741346     | 12741146                         | 12741746    | <b>12741846</b> | 12741446                      | 12741546      | 12741646     |
| white struc | 12741009                      | 12741209    | 12741309     | 12741109                         | 12741709    | 12741809        | 12741409                      | 12741509      | 12741609     |



This label is available in other languages:  
<http://supermodular.com/assets/TYPE2.pdf>



Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on [www.supermodular.com](http://www.supermodular.com).

## SMART CAKE 115 LED GE

### ACCESSORIES

#### GYPKIT

12290530 | GYPKIT 190X190 - Ø108

#### CONBOX

10889830 | CONBOX 190X192X130X256

#### MASK

12810032 | SMART MASK 115 1X BLACK STRUC  
 12810046 | SMART MASK 115 1X GOLD  
 12810009 | SMART MASK 115 1X WHITE STRUC  
 12810132 | SMART MASK 115 2X BLACK STRUC  
 12810146 | SMART MASK 115 2X GOLD  
 12810109 | SMART MASK 115 2X WHITE STRUC

#### SURFACE-BOX

12800032 | SMART SURFACE BOX 115 GI FOR 1X LED GE BLACK STRUC  
 12800009 | SMART SURFACE BOX 115 GI FOR 1X LED GE WHITE STRUC  
 12800132 | SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 1X LED GE BLACK STRUC  
 12800109 | SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 1X LED GE WHITE STRUC  
 12800232 | SMART SURFACE BOX 115 DALI GI FOR 1X LED GE BLACK STRUC  
 12800209 | SMART SURFACE BOX 115 DALI GI FOR 1X LED GE WHITE STRUC  
 12801032 | SMART SURFACE BOX 115 GI FOR 2X LED GE BLACK STRUC  
 12801009 | SMART SURFACE BOX 115 GI FOR 2X LED GE WHITE STRUC  
 12801132 | SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 2X LED GE BLACK STRUC  
 12801109 | SMART SURFACE BOX 115 1-10V/PUSHDIM GI FOR 2X LED GE WHITE STRUC  
 12801232 | SMART SURFACE BOX 115 DALI GI FOR 2X LED GE BLACK STRUC  
 12801209 | SMART SURFACE BOX 115 DALI GI FOR 2X LED GE WHITE STRUC

#### RECESSED-FRAME

12810230 | RECESSED RING Ø127 H100

#### SURFACE-TUBED

13140332 | SMART SURFACE TUBED 115 LED DALI GI BLACK STRUC  
 13140324 | SMART SURFACE TUBED 115 LED DALI GI BRUSHED ALU  
 13140309 | SMART SURFACE TUBED 115 LED DALI GI WHITE STRUC

### ACCESSORIES

#### SURFACE-TUBED

13141332 | SMART SURFACE TUBED SUSPENSION 115 LED DALI GI BLACK STRUC  
 13141324 | SMART SURFACE TUBED SUSPENSION 115 LED DALI GI BRUSHED ALU  
 13141309 | SMART SURFACE TUBED SUSPENSION 115 LED DALI GI WHITE STRUC  
 13141232 | SMART SURFACE TUBED SUSPENSION 115 LED 1-10V/PUSHDIM GI BLACK STRUC  
 13141224 | SMART SURFACE TUBED SUSPENSION 115 LED 1-10V/PUSHDIM GI BRUSHED ALU  
 13141209 | SMART SURFACE TUBED SUSPENSION 115 LED 1-10V/PUSHDIM GI WHITE STRUC  
 13141132 | SMART SURFACE TUBED SUSPENSION 115 LED TRE DIM GI BLACK STRUC  
 13141124 | SMART SURFACE TUBED SUSPENSION 115 LED TRE DIM GI BRUSHED ALU  
 13141109 | SMART SURFACE TUBED SUSPENSION 115 LED TRE DIM GI WHITE STRUC

