

## SLIDE IP54 LED TRE DIM RG


Slide is one of the Modular icons. Its name refers to the light gliding out from the luminaire, channelled by the stunning inner body, and creating a softer and smooth lighting experience. Slide owes its popularity to its deeply embedded light source. It is available in the Modular donkey grey structure with black inner body or in an entirely white structure version.

Art. Nr. 10486709

### SPECIFICATIONS

Lamp	1x LED Array 9.2W
Gear / Transfo	LED gear incl.
Cut-out size	ø 92 h 75
Weight	0.40kg
Min. Distance	0.1
Power supply	230V
IP	IP54
Glow Wire Test	960°
CRI	90
Lumen	551 Lm
Efficacy	46 Lm/W
UGR	22
Adjustability	Not Applicable
Remark	! 3500K and 4000K on request

	WARM WHITE 2700K / CRI 90+	WARM WHITE 3000K / CRI 90+
	MEDIUM 25	MEDIUM 25
donkey grey struc - black	10486574	10486774
white struc	10486509	10486709



This label is available in other languages:  
<http://supermodular.com/assets/TYPE2.pdf>



## SLIDE IP54 LED TRE DIM RG

### ACCESSORIES

#### GYPKIT

12290330 | GYPKIT 190X190 - Ø92

#### CONBOX

10889830 | CONBOX 190X192X130X256

