

PRODUCT FAMILY DATASHEET

OUTDOOR SURFACE SQUARE

Wall and ceiling luminaires with modern design in square shape



AREAS OF APPLICATION

- Outdoor
- Building facades
- Gardens, balconies and other outdoor areas

PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation
- Homogeneous light output

PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP54
- Die-cast aluminum housing
- Available in two housing colors: white and dark gray
- Diffuser made of opal polycarbonate






TECHNICAL DATA

Product description	Electrical data	Luminaire control gear data			Photometrical data	Light technical data	Dimensions & weight		
	Nominal wattage	Max. no. of lum. on circuit break. B16 A	Max. no. of lum. on circuit break. C10 A	Max. no. of lum. on circuit break. C16 A	Luminous flux	Beam angle	Length	Width	Height
O SURFACE SQ 13 W 3000 K IP54 GY	13.00 W	75	96	60	480 lm	100.00 °	202.0 mm	202.0 mm	45.0 mm
O SURFACE SQ 13 W 3000 K IP54 WT	13.00 W	75	96	60	600 lm	100.00 °	202.0 mm	202.0 mm	45.0 mm

Product description	Product weight	Colors & materials	Temperatures & operating conditions	Lifespan			Additional product data
		Product color	Ambient temperature range	Lifespan L70 at 25 °C	Lifespan L80 at 25 °C	Lifespan L90 at 25 °C	Mounting type
O SURFACE SQ 13 W 3000 K IP54 GY	910.00 g	Gray	-20...+40 °C	30000 h	- h	- h	Surface
O SURFACE SQ 13 W 3000 K IP54 WT	910.00 g	White	-20...+40 °C	30000 h	- h	- h	Surface

Product description	Mounting location	Capabilities
		Dimmable
O SURFACE SQ 13 W 3000 K IP54 GY	Ceiling / Wall	No
O SURFACE SQ 13 W 3000 K IP54 WT	Ceiling / Wall	No



O SURFACE SQ 13 W 3000 K IP54 GY, O SURFACE SQ 13 W 3000 K IP54 WT

O SURFACE SQ 13 W 3000 K IP54 GY

O SURFACE SQ 13 W 3000 K IP54 WT

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075074941	Shipping carton box 6	470 mm x 255 mm x 215 mm	6094.00 g	25.77 dm ³
4058075074965	Shipping carton box 6	470 mm x 255 mm x 215 mm	6094.00 g	25.77 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
--------------	------------------------------	--------------------------------------	--------------	--------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

For Guarantee see

▶ www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.