

## SMART LOTIS 48 IP54 LED GE


Smart lotis is the best known fixture within the Smart family. The deeply recessed cone which holds the light source inspired the designers to create a very versatile spot to be combined with multiple accessories. This family's styling is based on our most popular designs. Concretely this means that the luminaires consist of a module (LED or halogen) which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or Smart surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...

Art. Nr. 12861032

### SPECIFICATIONS

Lamp	1x high power LED	
Gear / Transfo	LED gear not incl.	
Cut-out size	ø 44 h 58 (ø 46 for wood)	
Weight	0.13kg	
Min. Distance	0.1	
IP	IP54	
Glow Wire Test	960°	
CRI	90	
Power supply	350mA 3Vf	<b>500mA</b> <b>3Vf</b>
Connected load	1W	<b>1.5W</b>
Lumen	64lm	<b>90lm</b>
Efficacy	64lm/W	<b>60lm/W</b>
UGR	6	<b>8</b>
Adjustability	Not Applicable	
Remark	! can be combined with Smart surface tubed	

	WARM WHITE 3000K / CRI 90+	WARM WHITE 2700K / CRI 90+	NEUTRAL WHITE 4000K / CRI 90+
	MEDIUM 25°	MEDIUM 25°	MEDIUM 25°
black struc	<b>12861032</b>	12861132	12861232
white struc	12861009	12861109	12861209



This label is available in other languages:  
<http://supermodular.com/assets/TYPE2.pdf>



## SMART LOTIS 48 IP54 LED GE

### ACCESSORIES

#### GYPKIT

12290730 | GYPKIT 100X120 - Ø45

#### CONBOX

10889530 | CONBOX 100X123X80X187

#### SURFACE-TUBED

12900032 | SMART SURFACE TUBED 48 GE FOR 1X LED BLACK STRUC

12900009 | SMART SURFACE TUBED 48 GE FOR 1X LED WHITE STRUC

