



Flat

You can definitely hear this loudspeaker.
But you can hardly see it.

The frame of the Flat series is 1 millimeter wide and 4 millimeters thick, and feels silky to the touch. This loudspeaker treats you to remarkably warm sound.

In other words, the pure essence, yet at the same time, a high-quality, top speaker. You can install the Flat in no time at all: it clicks into place with the adjustable screws, and the grill is mounted magnetically. Available in round, rectangular and square models.




FL101

This inwall loudspeaker is flatter and even less visible than all its predecessors. The frame was reduced to just 1 millimeter, yet continues to score high in terms of vibration absorption. The loudspeaker's grill has also been noticeably fine-tuned and almost feels like silk to the touch. The sound is accurate, warm and carries far. A no-bones-about-it speaker.



The FL101 is a real hit. It leaves no space untouched: the corridor, waiting room, kitchen, ... you can even paint it over in your favourite colour.






black grill (option)




TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------------------|
| range | <50m ² |
| sound quality | allround |
| system | 2-way coaxial |
| woofer | 5.25" polypropylene carbon |
| tweeter | 0.5" polycarbonate |
| amp power | 10 - 100W (recommended) |
| sensitivity | 88dB |
| impedance | 8Ω |
| frequency range | 85Hz - 20kHz |
| dim. cut-out (h x w) | 148 x 148mm |
| dimensions (h x w x d) | 170 x 170 x 70mm |
| weight / piece | 0.95kg |
| housing | ABS |
| colour | white |
| extra | paintable |
| options | KITSQ1 black grill (GRILL SQ525 B) |

DIMENSIONS








black grill (option)

FL301

This inwall loudspeaker is flatter and even less visible than all its predecessors. The frame was reduced to just 1 millimeter, yet continues to score high in terms of vibration absorption. The loudspeaker's grill has also been noticeably fine-tuned and almost feels like silk to the touch. The sound is accurate, warm and carries far. A no-bones-about-it speaker.



DIMENSIONS



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------------------|
| range | <50m ² |
| sound quality | warm |
| system | 2-way |
| woofer | 5.25" polypropylene carbon |
| tweeter | 1" polycarbonate |
| amp power | 20 - 120W (recommended) |
| sensitivity | 87dB |
| impedance | 8Ω |
| frequency range | 75Hz - 20kHz |
| dim. cut-out (h x w) | 245 x 160mm |
| dimensions (h x w x d) | 280 x 190 x 70mm |
| weight / piece | 2.125kg |
| housing | ABS |
| colour | white |
| extra | paintable |
| options | KITRE2 black grill (GRILL RE650 B) |

The FL301 is not only discreet, it's also versatile. Here it's incorporated into a desk.




FL401

This inwall speaker is flatter and even more invisible than any of its predecessors. The frame has been reduced down to 1 millimetre, but still scores high when it comes to vibration absorption the frame thickness more than halved. The grille of the loudspeaker has been noticeably fine-tuned and it feels like silk to the touch. The sound is accurate, warm and carries far. A no-bones-about-it speaker.




Small but courageous, that's how you could describe the FL401. Even in rooms with a lot of movement, it manages to create the right atmosphere.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-------------------------|
| range | <40m ² |
| sound quality | background |
| system | 2-way coaxial |
| woofer | 4" polypropylene carbon |
| tweeter | 0.5" polycarbonate |
| amp power | 10 - 100W (recommended) |
| sensitivity | 86dB |
| impedance | 8Ω |
| frequency range | 90Hz - 20kHz |
| dimensions cut-out (Ø) | 160mm |
| dimensions (Ø x d) | 180 x 70mm |
| weight / piece | 0,95kg |
| housing | ABS |
| colour | white |
| extra | paintable |
| options | KITR01 |

DIMENSIONS






black grill (option)






FL501

This inwall speaker is flatter and even more invisible than any of its predecessors. The frame has been reduced down to 1 millimetre, but still scores high when it comes to vibration absorption the frame thickness more than halved. The grille of the loudspeaker has been noticeably fine-tuned and it feels like silk to the touch. The sound is accurate, warm and carries far. A no-bones-about-it speaker.



One of the most popular speakers thanks to the power of the sound and the modest mounting dimensions.

DIMENSIONS



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-----------------------------|
| range | <50 m ² |
| sound quality | allround |
| system | 2-way coaxial |
| woofer | 5.25" polypropylene carbon |
| tweeter | 0.5" polycarbonate |
| amp power | 10 - 100W (recommended) |
| sensitivity | 88dB |
| impedance | 8Ω |
| frequency range | 85Hz - 20kHz |
| dimensions cut-out (Ø) | 180mm |
| dimensions (Ø x d) | 200 x 70mm |
| weight / piece | 1kg |
| housing | ABS |
| colour | white |
| extra options | paintable |
| | KITR02 - MOKIT R0212 |
| | black grill (GRILL R0525 B) |



FL550

This stereo inwall loudspeaker is flatter and even more invisible than any of its predecessors. The frame has been reduced down to 1 millimetre, the frame thickness more than halved. The grill of the loudspeaker has been noticeably fine-tuned and it feels almost like silk if you stroke it. The frame simply clicks itself into place with adjusting screws, you fit the grill magnetically. What's more, it produces a fully-fledged stereo effect on its own thanks to its double tweeter and double connections.



Only room for one connection, but still looking for a stereo effect? The FL550 is the solution.




black grill (option)



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------------------|
| range | <50m ² |
| sound quality | warm |
| system | 2-way coaxial |
| woofer | 5.25" polypropylene carbon |
| tweeter | 2 x 0.5" polycarbonate |
| amp power | 10 - 100W (recommended) |
| sensitivity | 87dB |
| impedance | 8Ω |
| frequency range | 95Hz - 20kHz |
| dimensions cut-out (Ø) | 180mm |
| dimensions (Ø x d) | 200 x 70mm |
| weight / piece | 1,1kg |
| housing | ABS |
| colour | white |
| extra | paintable |
| options | KITR02 - MOKIT R0212 GRILL R0525 B |

DIMENSIONS








FL620

This inwall speaker is flatter and even more invisible than any of its predecessors. The frame has been reduced down to 1 millimetre, but still scores high when it comes to vibration absorption the frame thickness more than halved. The grille of the loudspeaker has been noticeably fine-tuned and it feels like silk to the touch. The sound is accurate, warm and carries far. A no-bones-about-it speaker.



DIMENSIONS



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------|
| range | <50m ² |
| sound quality | warm |
| system | 2-way coaxial |
| woofer | 6.5" polypropylene carbon |
| tweeter | 0.5" polycarbonate |
| amp power | 20 - 120W (recommended) |
| sensitivity | 90dB |
| impedance | 8Ω |
| frequency range | 70Hz - 20kHz |
| dimensions cut-out (Ø) | 205mm |
| dimensions (Ø x d) | 230 x 75mm |
| weight / piece | 1.20kg |
| housing | ABS |
| colour | white |
| extra | paintable |
| options | KITR03 - MOKIT R0238 |

Want to give a party that doesn't attract too much attention? The FL620 lets you feel the vibrations!