





Art. Nr. 11130709
SPECIFICATIONS

## KABAZ WALL IP44 LED

Kabaz has one sole purpose: to make your garden a wonderful place to hang out. Standard available with white matte polycarbonate for a sleek lounge look. Add a Maroc plate for an oriental look or louvres for a sexy touch. The useful handle and five-metre cable allow you to place Kabaz (which means 'handbag' in West-Flemish) wherever you like. Also available for wall mounting.

Lamp 1x LED E27 12W  Gear / Transfo  Weight 8.6kg  Min. Distance 0.1 m  Power supply 230V  IP IP44  Glow Wire Test 960°  Source lifetime 25000 hrs  CRI 80  Lumen 504.47 Lm  Adjustability Not Applicable  This luminaire is compatible with bulbs of the energy classes:  A*A  B  C  The luminaire is sold with a bulb of the energy class: A  The luminaire is sold with a bulb of the energy class: A		
Weight 8.6kg  Min. Distance 0.1 m  Power supply 230V  IP IP44  Glow Wire Test 960°  Source lifetime 25000 hrs  CRI 80  Lumen 504.47 Lm  Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:  ATHERITATION AND ADDULARY TO BE ADDULTED AND ADDULTED AD	Lamp	1x LED E27 12W
Min. Distance 0.1 m  Power supply 230V  IP IP44  Glow Wire Test 960°  Source lifetime 25000 hrs  CRI 80  Lumen 504.47 Lm  Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  The luminaire is compatible with bulbs of the energy classes:	Gear / Transfo	
Power supply 230V  IP IP44  Glow Wire Test 960°  Source lifetime 25000 hrs  CRI 80  Lumen 504.47 Lm  Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:	Weight	8.6kg
IP IP44 Glow Wire Test 960° Source lifetime 25000 hrs CRI 80 Lumen 504.47 Lm Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:	Min. Distance	0.1 m
Glow Wire Test 960°  Source lifetime 25000 hrs  CRI 80  Lumen 504.47 Lm  Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:  A**  A**  A**  A**  A**  A**  A**  A	Power supply	230V
Source lifetime 25000 hrs  CRI 80  Lumen 504.47 Lm  Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:  A*  A*  A*  A*  A*  A*  A*  B*  C*  D*  The luminaire is sold with a bulb of	IP	IP44
CRI 80  Lumen 504.47 Lm  Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:	Glow Wire Test	960°
Lumen 504.47 Lm  Adjustability Not Applicable  This label is available in other languages: http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:  Attack  The luminaire is sold with a bulb of	Source lifetime	25000 hrs
Adjustability  Not Applicable  This label is available in other languages: <a href="http://supermodular.com/assets/TYPE1.pdf">http://supermodular.com/assets/TYPE1.pdf</a> This luminaire is compatible with bulbs of the energy classes:  A*  A*  A*  A*  B*  C*  D*  The luminaire is sold with a bulb of	CRI	80
This label is available in other languages: <a href="http://supermodular.com/assets/TYPE1.pdf">http://supermodular.com/assets/TYPE1.pdf</a> This label is available in other languages: <a href="http://supermodular.com/assets/TYPE1.pdf">http://supermodular.com/assets/TYPE1.pdf</a> This label is available in other languages: <a href="http://supermodular.com/assets/TYPE1.pdf">http://supermodular.com/assets/TYPE1.pdf</a> The luminaire is sold with a bulb of	Lumen	504.47 Lm
http://supermodular.com/assets/TYPE1.pdf  This luminaire is compatible with bulbs of the energy classes:  A* A  B  C  D  E  The luminaire is sold with a bulb of	Adjustability	Not Applicable
874/2012	This luminaire is compatible with b of the energy class.  AT A B C D E The luminaire is sold with a bulb of the energy class: A	http://supermodular.com/assets/TYPE1.pdf

eco 🚽 🖶 👈

	WARM WHITE 2700K / CRI 80+
black struc	11130732
desert	11130733
khaki	11130722
white struc	11130709

Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com.

## **KABAZ**



KABAZ WA	ALL IP44 LED	
ACCESSORI		
PLATES		
11130532	KABAZ LOUVRE PLATE BLSTR	
11130533	KABAZ LOUVRE PLATE DESERT	
11130522	KABAZ LOUVRE PLATE KHAKI	
11130509	KABAZ LOUVRE PLATE WHSTR	
11130432	KABAZ MAROC PLATE BLSTR	
11130433	KABAZ MAROC PLATE DESERT	
11130422	KABAZ MAROC PLATE KHAKI	
11130422	KABAZ MAROC PLATE WHSTR	
.1100-100	.3 DAE MANOOT EATE WHO IN	