


CHIPBOARD SCREW CSK POZ. FULL THREAD

SPAANDERPLAATSCHROEF VK PZ VD

VIS À PANNEAUX TF POZ. FILET TOTAL

SPANPLATTENSCHRAUBE SK POZ. VOLLGEWINDE



material : Hardenend steel	materiaal : Gehard staal	matière : Acier trempé	Werkstoff : Gehärtet Stahl
type : micro box packing	type : micro verpakking	type : emballage micro	Typ : Micro Packung
surface : zinc plated yellow	oppervlak : geelverzinkt	surface : zingué jaune	Oberfläche : gelb verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 2,5	5	nr1
d 3,5	7	nr2
d 4,5	9	
d 6	12	nr3

d x l	art code	EAN	BOX	KG/ BOX
2,5 x 12	MWVZVK25012 GZ	5410439002011	200	0,16
2,5 x 16	MWVZVK25016 GZ	5410439002028	200	0,20
2,5 x 20	MWVZVK25020 GZ	5410439002035	200	0,44
3 x 10	MWVZVK30010 GZ	5410439213851	200	0,20
3 x 12	MWVZVK30012 GZ	5410439002042	200	0,20
3 x 16	MWVZVK30016 GZ	5410439002059	200	0,24
3 x 20	MWVZVK30020 GZ	5410439002066	200	0,28
3 x 25	MWVZVK30025 GZ	5410439002073	200	0,36
3 x 30	MWVZVK30030 GZ	5410439002080	200	0,40
3 x 35	MWVZVK30035 GZ	5410439002097	200	0,48
3 x 40	MWVZVK30040 GZ	5410439002103	200	0,56
3 x 45	MWVZVK30045 GZ	5410439117425	200	0,64
3,5 x 12	MWVZVK35012 GZ	5410439002110	200	0,28
3,5 x 16	MWVZVK35016 GZ	5410439002127	200	0,32
3,5 x 20	MWVZVK35020 GZ	5410439002134	200	0,36
3,5 x 25	MWVZVK35025 GZ	5410439002141	200	0,48
3,5 x 30	MWVZVK35030 GZ	5410439002158	200	0,52
3,5 x 35	MWVZVK35035 GZ	5410439002165	200	0,68
3,5 x 40	MWVZVK35040 GZ	5410439002172	200	0,72
3,5 x 45	MWVZVK35045 GZ	5410439002189	200	0,80
3,5 x 50	MWVZVK35050 GZ	5410439002196	200	0,96
4 x 12	MWVZVK40012 GZ	5410439002202	200	0,36
4 x 16	MWVZVK40016 GZ	5410439002219	200	0,44
4 x 20	MWVZVK40020 GZ	5410439002226	200	0,48


d x l	art code	EAN	BOX	KG/ BOX
4 x 25	MWVZVK40025 GZ	5410439002233	200	0,60
4 x 30	MWVZVK40030 GZ	5410439002240	200	0,76
4 x 35	MWVZVK40035 GZ	5410439002257	200	0,84
4 x 40	MWVZVK40040 GZ	5410439002264	200	0,88
4 x 45	MWVZVK40045 GZ	5410439002271	200	1,00
4 x 50	MWVZVK40050 GZ	5410439002288	200	1,08
4 x 55	MWVZVK40055 GZ	5410439002295	200	1,24
4 x 60	MWVZVK40060 GZ	5410439002301	200	1,32
4 x 70	MWVZVK40070 GZ	5410439105538	200	1,60
4,5 x 16	MWVZVK45016 GZ	5410439002332	200	0,60
4,5 x 20	MWVZVK45020 GZ	5410439002349	200	0,64
4,5 x 25	MWVZVK45025 GZ	5410439002356	200	0,84
4,5 x 30	MWVZVK45030 GZ	5410439002363	200	0,92
4,5 x 35	MWVZVK45035 GZ	5410439002370	200	1,04
4,5 x 40	MWVZVK45040 GZ	5410439002387	200	1,16
4,5 x 45	MWVZVK45045 GZ	5410439002394	200	1,36
4,5 x 50	MWVZVK45050 GZ	5410439002400	200	1,44
4,5 x 55	MWVZVK45055 GZ	5410439002417	200	1,56
4,5 x 60	MWVZVK45060 GZ	5410439002424	200	1,68
5 x 16	MWVZVK50016 GZ	5410439002455	200	0,76
5 x 20	MWVZVK50020 GZ	5410439002462	200	0,88
5 x 25	MWVZVK50025 GZ	5410439002479	200	1,00
5 x 30	MWVZVK50030 GZ	5410439002486	200	1,24
5 x 35	MWVZVK50035 GZ	5410439002493	200	1,28



material : Hardenend steel	materiaal : Gehard staal	matière : Acier trempé	Werkstoff : Gehärtet Stahl
type : micro box packing	type : micro verpakking	type : emballage micro	Typ : Micro Packing
surface : zinc plated yellow	oppervlak : geelverzinkt	surface : zingué jaune	Oberfläche : gelb verzinkt

d x l	art code	EAN	BOX	KG/ BOX
5 x 40	MWVZVK50040 GZ	5410439002509	200	1,48
5 x 45	MWVZVK50045 GZ	5410439002516	200	1,68
5 x 50	MWVZVK50050 GZ	5410439002523	200	1,76
5 x 55	MWVZVK50055 GZ	5410439002530	200	1,96

d x l	art code	EAN	BOX	KG/ BOX
6 x 30	MWVZVK60030 GZ	5410439002615	200	1,68
6 x 35	MWVZVK60035 GZ	5410439002622	200	1,92
6 x 40	MWVZVK60040 GZ	5410439002639	200	2,08
6 x 45	MWVZVK60045 GZ	5410439002646	200	2,44



material : Hardened steel	materiaal : Gehard staal	matière : Acier trempé	Werkstoff : Gehärtet Stahl
type : standard box packing	type : standaard verpakking	type : emballage standard	Typ : Normalpacking
surface : zinc plated yellow	oppervlak : geelverzinkt	surface : zingué jaune	Oberfläche : gelb verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 3	6	nr1
d 3,5	7	nr2
d 4,5	9	
d 6	12	nr3

d x l	art code	EAN	BOX	KG/ BOX
3 x 10	MWVZVG30010 GZ	5410439105255	1000	4,00
3 x 12	MWVZVG30012 GZ	5410439105262	1000	5,00
3 x 16	MWVZVG30016 GZ	5410439105279	1000	6,00
3 x 20	MWVZVG30020 GZ	5410439105286	1000	7,00
3 x 25	MWVZVG30025 GZ	5410439105293	1000	8,00
3 x 30	MWVZVG30030 GZ	5410439105309	1000	10,00
3 x 35	MWVZVG30035 GZ	5410439105316	1000	9,00
3 x 40	MWVZVG30040 GZ	5410439105323	1000	12,00
3,5 x 12	MWVZVG35012 GZ	5410439105330	1000	6,00
3,5 x 16	MWVZVG35016 GZ	5410439105347	1000	8,00
3,5 x 20	MWVZVG35020 GZ	5410439105354	1000	8,00
3,5 x 25	MWVZVG35025 GZ	5410439105361	1000	11,00
3,5 x 30	MWVZVG35030 GZ	5410439105378	1000	13,00
3,5 x 35	MWVZVG35035 GZ	5410439105385	1000	16,00
3,5 x 40	MWVZVG35040 GZ	5410439105392	1000	18,00
3,5 x 45	MWVZVG35045 GZ	5410439105408	1000	19,00
3,5 x 50	MWVZVG35050 GZ	5410439105415	500	5,50
4 x 12	MWVZVG40012 GZ	5410439105422	1000	9,00
4 x 16	MWVZVG40016 GZ	5410439105439	1000	10,00
4 x 20	MWVZVG40020 GZ	5410439105446	1000	13,00

d x l	art code	EAN	BOX	KG/ BOX
4 x 25	MWVZVG40025 GZ	5410439105453	1000	15,00
4 x 30	MWVZVG40030 GZ	5410439105460	1000	18,00
4 x 35	MWVZVG40035 GZ	5410439105477	1000	19,00
4 x 40	MWVZVG40040 GZ	5410439105484	1000	23,00
4 x 45	MWVZVG40045 GZ	5410439105491	500	6,50
4 x 50	MWVZVG40050 GZ	5410439105507	500	6,75
4 x 55	MWVZVG40055 GZ	5410439105514	500	7,75
4 x 60	MWVZVG40060 GZ	5410439105521	500	8,25
4,5 x 16	MWVZVG45016 GZ	5410439105545	1000	14,00
4,5 x 20	MWVZVG45020 GZ	5410439105552	1000	16,00
4,5 x 25	MWVZVG45025 GZ	5410439105569	1000	19,00
4,5 x 30	MWVZVG45030 GZ	5410439105576	1000	22,00
4,5 x 35	MWVZVG45035 GZ	5410439105583	500	6,50
4,5 x 40	MWVZVG45040 GZ	5410439105590	500	7,00
4,5 x 45	MWVZVG45045 GZ	5410439105606	500	7,75
4,5 x 50	MWVZVG45050 GZ	5410439105613	500	8,75
4,5 x 55	MWVZVG45055 GZ	5410439105620	500	9,25
4,5 x 60	MWVZVG45060 GZ	5410439105637	500	10,50
4,5 x 70	MWVZVG45070 GZ	5410439105644	200	1,96
5 x 16	MWVZVG50016 GZ	5410439105668	1000	16,00



material : Hardened steel type : standard box packing surface : zinc plated yellow	materiaal : Gehard staal type : standaard verpakking oppervlak : geelverzinkt	matière : Acier trempé type : emballage standard surface : zingué jaune	Werkstoff : Gehärtet Stahl Typ : Normalpackung Oberfläche : gelb verzinkt
---	--	--	--

d x l	art code	EAN	BOX	KG/ BOX
5 x 20	MWVZVG50020 GZ	5410439105675	1000	20,00
5 x 25	MWVZVG50025 GZ	5410439105682	1000	24,00
5 x 30	MWVZVG50030 GZ	5410439105699	500	7,25
5 x 35	MWVZVG50035 GZ	5410439105705	500	7,75
5 x 40	MWVZVG50040 GZ	5410439105712	500	9,00
5 x 45	MWVZVG50045 GZ	5410439105729	500	9,75
5 x 50	MWVZVG50050 GZ	5410439105736	500	10,75
5 x 55	MWVZVG50055 GZ	5410439105743	500	11,00
5 x 60	MWVZVG50060 GZ	5410439105750	200	2,08

d x l	art code	EAN	BOX	KG/ BOX
5 x 70	MWVZVG50070 GZ	5410439105767	200	2,36
6 x 30	MWVZVG60030 GZ	5410439105804	500	11,00
6 x 35	MWVZVG60035 GZ	5410439105811	500	11,75
6 x 40	MWVZVG60040 GZ	5410439105828	500	13,00
6 x 45	MWVZVG60045 GZ	5410439105835	500	14,75
6 x 50	MWVZVG60050 GZ	5410439105842	200	2,52
6 x 55	MWVZVG60055 GZ	5410439105859	200	2,80
6 x 60	MWVZVG60060 GZ	5410439105866	200	2,96
6 x 70	MWVZVG60070 GZ	5410439105873	200	3,52



material : Hardened steel type : collated screws surface : zinc plated yellow	materiaal : Gehard staal type : schroeven op band oppervlak : geelverzinkt	matière : Acier trempé type : vis sur bande surface : zingué jaune	Werkstoff : Gehärtet Stahl Typ : Schrauben auf Band Oberfläche : gelb verzinkt
--	---	---	---

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 4	8	nr2

d x l	art code	EAN	BOX	KG/ BOX
4 x 25	MWVZVC40025 GZ	5410439238595	1000	16,00
4 x 30	MWVZVC40030 GZ	5410439238601	1000	19,00
4 x 35	MWVZVC40035 GZ	5410439238618	1000	22,00

d x l	art code	EAN	BOX	KG/ BOX
4 x 40	MWVZVC40040 GZ	5410439238625	1000	24,00
4 x 45	MWVZVC40045 GZ	5410439238632	1000	27,00
4 x 50	MWVZVC40050 GZ	5410439238649	1000	29,00



material : Hardened steel	materiaal : Gehard staal	matière : Acier trempé	Werkstoff : Gehärtet Stahl
type : micro box packing	type : micro verpakking	type : emballage micro	Typ : Micro Packung
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 2,5	5	nr1
d 3,5	7	nr2
d 4,5	9	
d 6	12	nr3

d x l	art code	EAN	BOX	KG/ BOX
2,5 x 12	MWVZVK25012 Z	5410439001014	200	0,12
2,5 x 16	MWVZVK25016 Z	5410439001021	200	0,16
2,5 x 20	MWVZVK25020 Z	5410439001038	200	0,20
3 x 10	MWVZVK30010 Z	5410439208307	200	0,20
3 x 12	MWVZVK30012 Z	5410439001045	200	0,20
3 x 16	MWVZVK30016 Z	5410439001052	200	0,24
3 x 20	MWVZVK30020 Z	5410439001069	200	0,28
3 x 25	MWVZVK30025 Z	5410439001076	200	0,36
3 x 30	MWVZVK30030 Z	5410439001083	200	0,44
3 x 35	MWVZVK30035 Z	5410439001090	200	0,48
3 x 40	MWVZVK30040 Z	5410439001106	200	0,56
3 x 45	MWVZVK30045 Z	5410439117418	200	0,64
3,5 x 12	MWVZVK35012 Z	5410439001113	200	0,28
3,5 x 16	MWVZVK35016 Z	5410439001120	200	0,36
3,5 x 20	MWVZVK35020 Z	5410439001137	200	0,40
3,5 x 25	MWVZVK35025 Z	5410439001144	200	0,48
3,5 x 30	MWVZVK35030 Z	5410439001151	200	0,56
3,5 x 35	MWVZVK35035 Z	5410439001168	200	0,64
3,5 x 40	MWVZVK35040 Z	5410439001175	200	0,72
3,5 x 45	MWVZVK35045 Z	5410439001182	200	0,76
3,5 x 50	MWVZVK35050 Z	5410439001199	200	0,88
4 x 12	MWVZVK40012 Z	5410439001205	200	0,36
4 x 16	MWVZVK40016 Z	5410439001212	200	0,44
4 x 20	MWVZVK40020 Z	5410439001229	200	0,48
4 x 25	MWVZVK40025 Z	5410439001236	200	0,56
4 x 30	MWVZVK40030 Z	5410439001243	200	0,68
4 x 35	MWVZVK40035 Z	5410439001250	200	0,80
4 x 40	MWVZVK40040 Z	5410439001267	200	0,88

d x l	art code	EAN	BOX	KG/ BOX
4 x 45	MWVZVK40045 Z	5410439001274	200	1,04
4 x 50	MWVZVK40050 Z	5410439001281	200	1,12
4 x 55	MWVZVK40055 Z	5410439001298	200	1,16
4 x 60	MWVZVK40060 Z	5410439001304	200	1,28
4 x 70	MWVZVK40070 Z	5410439001311	200	1,60
4,5 x 16	MWVZVK45016 Z	5410439001335	200	0,60
4,5 x 20	MWVZVK45020 Z	5410439001342	200	0,68
4,5 x 25	MWVZVK45025 Z	5410439001359	200	0,76
4,5 x 30	MWVZVK45030 Z	5410439001366	200	0,88
4,5 x 35	MWVZVK45035 Z	5410439001373	200	1,04
4,5 x 40	MWVZVK45040 Z	5410439001380	200	1,16
4,5 x 45	MWVZVK45045 Z	5410439001397	200	1,32
4,5 x 50	MWVZVK45050 Z	5410439001403	200	1,44
4,5 x 55	MWVZVK45055 Z	5410439001410	200	1,56
4,5 x 60	MWVZVK45060 Z	5410439001427	200	1,68
5 x 16	MWVZVK50016 Z	5410439001458	200	0,72
5 x 20	MWVZVK50020 Z	5410439001465	200	0,84
5 x 25	MWVZVK50025 Z	5410439001472	200	0,92
5 x 30	MWVZVK50030 Z	5410439001489	200	1,24
5 x 35	MWVZVK50035 Z	5410439001496	200	1,24
5 x 40	MWVZVK50040 Z	5410439001502	200	1,56
5 x 45	MWVZVK50045 Z	5410439001519	200	1,64
5 x 50	MWVZVK50050 Z	5410439001526	200	1,72
5 x 55	MWVZVK50055 Z	5410439001533	200	1,84
6 x 30	MWVZVK60030 Z	5410439001618	200	1,68
6 x 35	MWVZVK60035 Z	5410439001625	200	1,96
6 x 40	MWVZVK60040 Z	5410439001632	200	2,20
6 x 45	MWVZVK60045 Z	5410439001649	200	2,36



material : Hardened steel	materiaal : Gehard staal	matière : Acier trempé	Werkstoff : Gehärtet Stahl
type : standard packing	type : standaard verpakking	type : emballage standard	Typ : Normalpackung
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 3	6	nr1
d 3,5	7	nr2
d 4,5	9	
d 6	12	nr3

d x l	art code	EAN	BOX	KG/ BOX
3 x 10	MWVZVG30010 Z	5410439105248	1000	3,00
3 x 12	MWVZVG30012 Z	5410439105965	1000	5,00
3 x 16	MWVZVG30016 Z	5410439105972	1000	6,00
3 x 20	MWVZVG30020 Z	5410439105989	1000	7,00
3 x 25	MWVZVG30025 Z	5410439105996	1000	9,00
3 x 30	MWVZVG30030 Z	5410439106009	1000	10,00
3 x 35	MWVZVG30035 Z	5410439106016	1000	11,00
3 x 40	MWVZVG30040 Z	5410439106023	1000	13,00
3,5 x 12	MWVZVG35012 Z	5410439106030	1000	6,00
3,5 x 16	MWVZVG35016 Z	5410439106047	1000	8,00
3,5 x 20	MWVZVG35020 Z	5410439106054	1000	9,00
3,5 x 25	MWVZVG35025 Z	5410439106061	1000	12,00
3,5 x 30	MWVZVG35030 Z	5410439106078	1000	13,00
3,5 x 35	MWVZVG35035 Z	5410439106085	1000	16,00
3,5 x 40	MWVZVG35040 Z	5410439106092	1000	18,00
3,5 x 45	MWVZVG35045 Z	5410439106108	1000	19,00
3,5 x 50	MWVZVG35050 Z	5410439106115	500	5,50
4 x 12	MWVZVG40012 Z	5410439106122	1000	9,00
4 x 16	MWVZVG40016 Z	5410439106139	1000	10,00
4 x 20	MWVZVG40020 Z	5410439106146	1000	12,00
4 x 25	MWVZVG40025 Z	5410439106153	1000	15,00
4 x 30	MWVZVG40030 Z	5410439106160	1000	18,00
4 x 35	MWVZVG40035 Z	5410439106177	1000	20,00
4 x 40	MWVZVG40040 Z	5410439106184	1000	23,00
4 x 45	MWVZVG40045 Z	5410439106191	500	6,50
4 x 50	MWVZVG40050 Z	5410439106207	500	7,00
4 x 55	MWVZVG40055 Z	5410439106214	500	7,50
4 x 60	MWVZVG40060 Z	5410439106221	500	8,00
4 x 70	MWVZVG40070 Z	5410439106238	500	9,50
4,5 x 16	MWVZVG45016 Z	5410439106245	1000	13,00

d x l	art code	EAN	BOX	KG/ BOX
4,5 x 20	MWVZVG45020 Z	5410439106252	1000	16,00
4,5 x 25	MWVZVG45025 Z	5410439106269	1000	19,00
4,5 x 30	MWVZVG45030 Z	5410439106276	1000	21,00
4,5 x 35	MWVZVG45035 Z	5410439106283	500	6,50
4,5 x 40	MWVZVG45040 Z	5410439106290	500	7,25
4,5 x 45	MWVZVG45045 Z	5410439106306	500	8,00
4,5 x 50	MWVZVG45050 Z	5410439106313	500	8,75
4,5 x 55	MWVZVG45055 Z	5410439106320	500	9,75
4,5 x 60	MWVZVG45060 Z	5410439106337	500	10,50
4,5 x 65	MWVZVG45065 Z	5410439239295	500	10,50
4,5 x 70	MWVZVG45070 Z	5410439106344	200	1,96
5 x 16	MWVZVG50016 Z	5410439106368	1000	18,00
5 x 20	MWVZVG50020 Z	5410439106375	1000	20,00
5 x 25	MWVZVG50025 Z	5410439106382	1000	23,00
5 x 30	MWVZVG50030 Z	5410439106399	500	7,25
5 x 35	MWVZVG50035 Z	5410439106405	500	8,00
5 x 40	MWVZVG50040 Z	5410439106412	500	9,00
5 x 45	MWVZVG50045 Z	5410439106429	500	9,75
5 x 50	MWVZVG50050 Z	5410439106436	500	10,75
5 x 55	MWVZVG50055 Z	5410439106443	500	11,25
5 x 60	MWVZVG50060 Z	5410439106450	200	2,12
5 x 70	MWVZVG50070 Z	5410439106467	200	2,48
6 x 30	MWVZVG60030 Z	5410439106504	500	10,25
6 x 35	MWVZVG60035 Z	5410439106511	500	12,00
6 x 40	MWVZVG60040 Z	5410439106528	500	13,25
6 x 45	MWVZVG60045 Z	5410439106535	500	14,25
6 x 50	MWVZVG60050 Z	5410439106542	200	2,60
6 x 55	MWVZVG60055 Z	5410439106559	200	2,96
6 x 60	MWVZVG60060 Z	5410439106566	200	3,20
6 x 70	MWVZVG60070 Z	5410439106573	200	3,44



material : Hardened steel	materiaal : Gehard staal	matière : Acier trempé	Werkstoff : Gehärtet Stahl
type : collated screws	type : schroeven op band	type : vis sur bande	Typ : Schrauben auf Band
surface : zinc plated	oppervlak : verzinkt	surface : zingué	Oberfläche : verzinkt

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 4	8	nr2

d x l	art code	EAN	BOX	KG/ BOX
4 x 25	MWVZVC40025 Z	5410439093774	1000	18,00
4 x 30	MWVZVC40030 Z	5410439093781	1000	21,00
4 x 35	MWVZVC40035 Z	5410439093798	1000	22,00

d x l	art code	EAN	BOX	KG/ BOX
4 x 40	MWVZVC40040 Z	5410439093804	1000	23,00
4 x 45	MWVZVC40045 Z	5410439093811	1000	28,00
4 x 50	MWVZVC40050 Z	5410439093828	1000	29,00



material : Stainless steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : micro box packing	type : micro verpakking	type : emballage micro	Typ : Micro Packung
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 3	6	nr1
d 3,5	7	nr2
d 4,5	9	
d 6	12	nr3

d x l	art code	EAN	BOX	KG/ BOX
3 x 12	MWVZVK30012 A2	5410439306782	200	0,24
3 x 16	MWVZVK30016 A2	5410439003018	200	0,28
3 x 20	MWVZVK30020 A2	5410439003025	200	0,28
3 x 25	MWVZVK30025 A2	5410439003032	200	0,36
3 x 30	MWVZVK30030 A2	5410439003049	200	0,44
3 x 35	MWVZVK30035 A2	5410439003056	200	0,52
3 x 40	MWVZVK30040 A2	5410439003063	200	0,56
3,5 x 12	MWVZVK35012 A2	5410439101714	200	0,24
3,5 x 16	MWVZVK35016 A2	5410439003070	200	0,36
3,5 x 20	MWVZVK35020 A2	5410439003087	200	0,44
3,5 x 25	MWVZVK35025 A2	5410439003094	200	0,48
3,5 x 30	MWVZVK35030 A2	5410439003100	200	0,60
3,5 x 35	MWVZVK35035 A2	5410439003117	200	0,68
3,5 x 40	MWVZVK35040 A2	5410439003124	200	0,76
4 x 12	MWVZVK40012 A2	5410439107334	200	0,40
4 x 16	MWVZVK40016 A2	5410439003131	200	0,48

d x l	art code	EAN	BOX	KG/ BOX
4 x 20	MWVZVK40020 A2	5410439003148	200	0,56
4 x 25	MWVZVK40025 A2	5410439003155	200	0,64
4 x 30	MWVZVK40030 A2	5410439003162	200	0,76
4 x 35	MWVZVK40035 A2	5410439003179	200	0,88
4 x 40	MWVZVK40040 A2	5410439003186	200	0,92
4 x 45	MWVZVK40045 A2	5410439003193	200	1,08
4 x 50	MWVZVK40050 A2	5410439003209	200	1,16
4 x 60	MWVZVK40060 A2	5410439104760	200	1,40
4 x 70	MWVZVK40070 A2	5410439108133	200	1,60
4,5 x 16	MWVZVK45016 A2	5410439170000	200	0,60
4,5 x 20	MWVZVK45020 A2	5410439003216	200	0,68
4,5 x 25	MWVZVK45025 A2	5410439003223	200	0,80
4,5 x 30	MWVZVK45030 A2	5410439003230	200	0,96
4,5 x 35	MWVZVK45035 A2	5410439003247	200	1,08
4,5 x 40	MWVZVK45040 A2	5410439003254	200	1,20
4,5 x 45	MWVZVK45045 A2	5410439003261	200	1,40



material : Stainless steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : micro box packing	type : micro verpakking	type : emballage micro	Typ : Micro Packung
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh

d x l	art code	EAN	BOX	KG/ BOX
4,5 x 50	MWVZVK45050 A2	5410439003278	200	1,48
4,5 x 60	MWVZVK45060 A2	5410439003285	200	1,76
4,5 x 70	MWVZVK45070 A2	5410439144131	200	2,00
4,5 x 80	MWVZVK45080 A2	5410439220194	200	2,32
5 x 20	MWVZVK50020 A2	5410439003292	200	0,88
5 x 25	MWVZVK50025 A2	5410439003308	200	1,00
5 x 30	MWVZVK50030 A2	5410439003315	200	1,24
5 x 35	MWVZVK50035 A2	5410439003322	200	1,36
5 x 40	MWVZVK50040 A2	5410439003339	200	1,48
5 x 45	MWVZVK50045 A2	5410439003346	200	1,68
5 x 50	MWVZVK50050 A2	5410439003353	200	1,88
5 x 60	MWVZVK50060 A2	5410439003360	200	2,12
5 x 70	MWVZVK50070 A2	5410439003377	200	2,48
5 x 80	MWVZVK50080 A2	5410439003384	200	2,84

d x l	art code	EAN	BOX	KG/ BOX
5 x 90	MWVZVK50090 A2	5410439003391	200	3,12
5 x 100	MWVZVK50100 A2	5410439003407	200	3,52
6 x 25	MWVZVK60025 A2	5410439104715	200	1,52
6 x 30	MWVZVK60030 A2	5410439101721	200	1,68
6 x 35	MWVZVK60035 A2	5410439101738	200	1,88
6 x 40	MWVZVK60040 A2	5410439003414	200	2,12
6 x 45	MWVZVK60045 A2	5410439003421	200	2,32
6 x 50	MWVZVK60050 A2	5410439003438	200	2,68
6 x 60	MWVZVK60060 A2	5410439003445	200	3,08
6 x 70	MWVZVK60070 A2	5410439003452	200	3,48
6 x 80	MWVZVK60080 A2	5410439003469	200	3,92
6 x 90	MWVZVK60090 A2	5410439003476	200	4,64
6 x 100	MWVZVK60100 A2	5410439003483	200	5,04



material : Stainless Steel A2	materiaal : Inox A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : collated	type : schroeven op band	type : sur bande	Typ : auf Band
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh

Technical properties / Technische gegevens / Données techniques / Technische Daten

d	dk	Z
d 4	8	nr2

d x l	art code	EAN	BOX	KG/ BOX
4 x 25	MWVZVC40025 A2	5410439238816	1000	16,00
4 x 30	MWVZVC40030 A2	5410439238823	1000	19,00
4 x 35	MWVZVC40035 A2	5410439238830	1000	21,00

d x l	art code	EAN	BOX	KG/ BOX
4 x 40	MWVZVC40040 A2	5410439238847	1000	24,00
4 x 50	MWVZVC40050 A2	5410439238854	1000	29,00