





## ENTERO RD-S TRIMLESS TW 94045 GC

28464 9030 GC

BESCHIKBAAR IN  
**ZWART** 28464 9030 B  
**GOUD KLEUR** 28464 9030 GC  
**WIT** 28464 9030 W



[Bekijk op website](#)

### Algemene info

<b>LOCATIE</b>	binnen
<b>INSTALLATIE</b>	Plafond Inbouw
<b>ZAAGMAAT/OPENING (MM)</b>	rond - Ø KIT
<b>INBOUWDIEPTE (MM)</b>	105
<b>STOF EN WATERDICHTHEID</b>	IP20
<b>GEWICHT (KG)</b>	0.235
<b>RICHTBAARHEID</b>	0° tot 30° zwenkbaar, 355° roteerbaar
<b>INFO</b>	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 500mA-DC TW - (DALI DT8) Optional REFLECTOR 20° available

### Elektrische info

<b>KLASSE</b>	III
<b>ENERGIE KLASSE</b>	E

### Info lichtbron

Lightsource Name	LED
Lichtbron	LED array 9W / CRI>90 (R9: 50) / 1800K-4000K / 979lm
TM-30-15 Waarden	Rf: 89 / Rg: 100
SDCM	SDCM2
Risk-groep	RG1
LM80	L90B10 > 50000
LED techniek (lichtbron)	979lm // 9W // 109lm/W
LED techniek (toestel)	751lm // 10W // 73lm/W

### Benodigheden

MOUNTING KIT ENTERO ROUND S  
MOUNTING KIT AIR 105  
LED POWER SUPPLY 500mA-DC TW

# ENTERO RD-S TRIMLESS TW 94045 GC











28464 9030 GC

## Accessoires

ENTERO S HONEYCOMB  
 ENTERO S LINEAR SPREAD LENS  
 ENTERO S SPREAD LENS  
 ENTERO S SOFTENING LENS  
 ENTERO S GLASS SBL

Voor gedetailleerde montage gegevens, consulteer de handleiding: [28464\\_XXX0\\_HAND.pdf](#)

## PLAFOND COMPATIBILITEIT

Ceiling Type	Mounting Kit	
 <b>System ceiling</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Plasterboard</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Stucanet</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Wood</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Concrete + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Lintel + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Hollow-core slab + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Stretched ceiling</b>	 MOUNTING KIT ENTERO RD-S CSC	Required
	 MOUNTING KIT ENTERO RD-S WSC	Required
 <b>Ventilation in plasterboard</b>	 MOUNTING KIT SIDE AIR ONLY 1	Required
	 MOUNTING KIT SIDE AIR 105	Required
	 MOUNTING KIT NO AIR 105	Required
 <b>Ventilation in concrete + plaster</b>	 MOUNTING KIT NO AIR 105	Required
	 MOUNTING KIT TOP AIR 105	Required
	 MOUNTING KIT TOP AIR ONLY 1	Required


## ENTERO RD-S TRIMLESS TW 94045 GC

28464 9030 GC

### VERVOLLEDIG UW SPECIFICATIE

#### LED voedingen


#




**21012 0355** LED POWER SUPPLY 500mA-DC 2CH TW DIM5

1->2

#### Montage kit




**28400 0010** MOUNTING KIT ENTERO RD-S O.F.A.



**28500 0220** MOUNTING KIT DEEP ENTERO RD-S TRIMLESS

#### Montage kit spanplafond




**28400 0070** MOUNTING KIT ENTERO RD-S CSC



**28400 0130** MOUNTING KIT ENTERO RD-S WSC

#### Montage kit - side air + light




**29810 0110** MOUNTING KIT SIDE AIR 105

# ENTERO RD-S TRIMLESS TW 94045 GC

28464 9030 GC

## Montage kit - top air + light


---



**29810 0130** MOUNTING KIT TOP AIR 105

## Montage kit - side air only


---



**29810 0100** MOUNTING KIT SIDE AIR ONLY 1

## Montage kit - top air only

---



**29810 0200** MOUNTING KIT TOP AIR ONLY 1

## Montage kit - no air

---



**29810 0120** MOUNTING KIT NO AIR 105

# ENTERO RD-S TRIMLESS TW 94045 GC

28464 9030 GC

## Light veranderende onderdelen


---




**28500 0010** ENTERO S LINEAR SPREAD LENS




**28500 0020** ENTERO S SPREAD LENS




**28500 0030** ENTERO S SOFTENING LENS



**28500 0040** ENTERO S GLASS SBL



**28500 0050 B** ENTERO S HONEYCOMB SINGLE USE B



**28500 0060 B** ENTERO S HONEYCOMB DOUBLE USE B

Notes: