





LOTIS 97 ADJUSTABLE MR16 GE

Lotis is the recessed spotlight which started it all. The hallmark of this luminaire, is the deeply recessed cone which holds the light source and has a fine edge. Lotis comes in different diameters and with different lighting sources. Lotis 48 is particularly fitted to use in wall mounted application.

Art. Nr. 10881209 SPECIFICATIONS 1x QR-CBC 51 Gx5.3 max. 50W Lamp Gear / Transfo transfo not incl. Cut-out size ø 92 h 165 Weight 0.4kg Min. Distance 0.5 m Power supply 12V ΙP IP20 Glow Wire Test 960° CRI 100 763 Lm Lumen 16 Lm/W Efficacy UGR 13 Adjustability v -15°/+15° This label is available in other languages: MODULAR. http://supermodular.com/assets/TYPE3.pdf This luminaire is compatible with bulbs of the energy classes: 874/2012

alu	10881205
black	10881202
white struc	10881209

Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com.

LOTIS



LOTIS 97 ADJUSTABLE MR16 GE		
ACCESSORIES		
GYPKIT		
12290330 GYPKIT 190X190 - Ø92		