





ENTERO RD-S TRIMLESS IP 93020 GC

28450 9320 GC

BESCHIKBAAR IN
ZWART 28450 9320 B
GOUD KLEUR 28450 9320 GC
WIT 28450 9320 W



 [Bekijk op website](#)

Algemene info

| | |
|-------------------------------|--|
| LOCATIE | binnen |
| INSTALLATIE | Plafond Inbouw |
| ZAAGMAAT/OPENING (MM) | rond - Ø KIT |
| INBOUWDIEPTE (MM) | 115 |
| STOF EN WATERDICHTHEID | IP44/20 |
| GEWICHT (KG) | 0.245 |
| RICHTBAARHEID | 0° tot 20° zwenkbaar, 355° roteerbaar |
| INFO | REFLECTOR FL-20° EXCL.LED POWER SUPPLY 350-500mA-DC |

Elektrische info

| | |
|-----------------------|-----|
| KLASSE | III |
| ENERGIE KLASSE | D |

Info lichtbron

| | |
|--------------------------|---|
| Lightsource Name | LED |
| Lichtbron | LED array 5,8-8,6W / CRI>90 (R9: 52) / 3000K / 787-1089lm |
| TM-30-15 Waarden | Rf: 90 / Rg: 99 |
| SDCM | SDCM1 |
| Risk-groep | RG1 |
| LM80 | L90B10 > 50000 |
| LED techniek (lichtbron) | 1089lm // 8,6W // 127lm/W |
| LED techniek (toestel) | 693lm // 10W // 70lm/W |

Benodigdheden

























MOUNTING KIT ENTERO ROUND S
MOUNTING KIT AIR 105
LED POWER SUPPLY 350 / 500mA-DC DIM

ENTERO RD-S TRIMLESS IP 93020 GC

28450 9320 GC

Voor gedetailleerde montage gegevens, consulteer de handleiding: [28450_XXX0_HAND.pdf](#)

PLAFOND COMPATIBILITEIT

| Ceiling Type | Mounting Kit | |
|---|---|----------|
|  System ceiling |  MOUNTING KIT ENTERO RD-S O.F.A. | Required |
|  Plasterboard |  MOUNTING KIT ENTERO RD-S O.F.A. | Required |
|  Stucanet |  MOUNTING KIT ENTERO RD-S O.F.A. | Required |
|  Wood |  MOUNTING KIT ENTERO RD-S O.F.A. | Required |
|  Concrete + plaster |  MOUNTING KIT ENTERO RD-S O.F.A. | Required |
|  Lintel + plaster |  MOUNTING KIT ENTERO RD-S O.F.A. | Required |
|  Hollow-core slab + plaster |  MOUNTING KIT ENTERO RD-S O.F.A. | Required |
|  Stretched ceiling |  MOUNTING KIT ENTERO RD-S CSC | Required |
| |  MOUNTING KIT ENTERO RD-S WSC | Required |
|  Ventilation in plasterboard |  MOUNTING KIT SIDE AIR ONLY 1 | Required |
| |  MOUNTING KIT SIDE AIR 105 | Required |
| |  MOUNTING KIT NO AIR 105 | Required |
|  Ventilation in concrete + plaster |  MOUNTING KIT NO AIR 105 | Required |
| |  MOUNTING KIT TOP AIR ONLY 1 | Required |

ENTERO RD-S TRIMLESS IP 93020 GC

28450 9320 GC

VERVOLLEDIG UW SPECIFICATIE

LED voedingen

#



300 48 350 ED1 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1

1->2



300 48 350 ED5 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1->2



300 48 350 MDL LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL

1->2



300 48 350 WDL LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL

1->2



300 48 500 ED1 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM1

1->2



300 48 500 ED5 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2



300 48 500 MDL LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W MDL

1->2



300 48 500 WDL LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL

1->2



300 90 61 LED POWER SUPPLY MULTI-POWER DIM6

1->2 / 1->2

ENTERO RD-S TRIMLESS IP 93020 GC

28450 9320 GC



300 90 63

LED POWER SUPPLY MULTI-POWER DIM9


1->4(4) / 1->3(3)



300 90 64

LED POWER SUPPLY MULTI-POWER DIM7

1->2(2) / 1->2(1)



300 90 67

LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9

1->2 / -



300 90 68

LED POWER SUPPLY MULTI-POWER DIM5

1->2(2) / 1->2(1)



300 90 69

LED POWER SUPPLY MULTI-POWER HV DIM9

2->6(6) / 1->6(4)



300 90 124

LED POWER SUPPLY MULTI-POWER DIM7

1->2(2) / 1->2(1)



300 90 125

LED POWER SUPPLY MULTI-POWER MINI DIM5

1->2(2) / 1->2(1)



300 90 135

LED POWER SUPPLY MULTI-POWER HV


3->4 / 2->4



21012 0010

LED POWER SUPPLY MULTI POWER

1->2 / 1->2



21012 0021











LED POWER SUPPLY MULTI POWER DIM1

1->3 / 1->2




ENTERO RD-S TRIMLESS IP 93020 GC

28450 9320 GC

| | | | | |
|--|-------------------|--|--------------------|--------------------------|
|  | 21012 0035 | LED POWER SUPPLY MULTI POWER DIM5 | 1->3 / 1->2 | <input type="checkbox"/> |
|  | 21012 004W | LED POWER SUPPLY MULTI-POWER WDL | 1->4(4) / 1->3(3) | <input type="checkbox"/> |
|  | 21012 005W | LED POWER SUPPLY MULTI-POWER COMPACT WDL | 1->3 / 1->2 | <input type="checkbox"/> |
|  | 21012 0268 | LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8 | 2->2 / 2->2 | <input type="checkbox"/> |
|  | 21012 0278 | LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8 | 1 | <input type="checkbox"/> |
|  | 21012 0288 | LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8 | 2->2 | <input type="checkbox"/> |
|  | 21012 0298 | LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8 | 1->2 / 1->2 / 1->2 | <input type="checkbox"/> |
|  | 21012 0308 | LED POWER SUPPLY 350mA / 7,35W DIM8 | 1 | <input type="checkbox"/> |
|  | 21012 0318 | LED POWER SUPPLY 500mA / 10W DIM8 | 1 | <input type="checkbox"/> |
|  | 21032 0295 | LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 | 1->2 | <input type="checkbox"/> |

ENTERO RD-S TRIMLESS IP 93020 GC

28450 9320 GC



21032 0305

LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2




Montage kit



28400 0010 MOUNTING KIT ENTERO RD-S O.F.A.



Montage kit spanplafond




28400 0070 MOUNTING KIT ENTERO RD-S CSC



28400 0130 MOUNTING KIT ENTERO RD-S WSC




Montage kit - side air + light



29810 0110 MOUNTING KIT SIDE AIR 105



Montage kit - side air only




29810 0100 MOUNTING KIT SIDE AIR ONLY 1



ENTERO RD-S TRIMLESS IP 93020 GC

28450 9320 GC


Montage kit - top air only



29810 0200 MOUNTING KIT TOP AIR ONLY 1



Montage kit - no air



29810 0120 MOUNTING KIT NO AIR 105



Notes: