



SMART LOTIS 48 IP54 LED GE

Smart lotis is the best known fixture within the Smart family. The deeply recessed cone which holds the light source inspired the designers to create a very versatile spot to be combined with multiple accessories. This family's styling is based on our most popular designs. Concretely this means that the luminaires consist of a module (LED or halogen) which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or Smart surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...

Art. Nr. 12861109

SPECIFICATIONS

| | | |
|----------------|--------------------------------------------|----------------------------|
| Lamp | 1x high power LED | |
| Gear / Transfo | LED gear not incl. | |
| Cut-out size | ø 44 h 58 (ø 46 for wood) | |
| Weight | 0.13kg | |
| Min. Distance | 0.1 | |
| IP | IP54 | |
| Glow Wire Test | 960° | |
| CRI | 90 | |
| Power supply | 350mA 3Vf | 500mA 3Vf |
| Connected load | 1W | 1.5W |
| Lumen | 62lm | 87lm |
| Efficacy | 62lm/W | 58lm/W |
| UGR | 6 | 7 |
| Adjustability | Not Applicable | |
| Remark | ! can be combined with Smart surface tubed | |

| | WARM WHITE 3000K / CRI 90+ | WARM WHITE 2700K / CRI 90+ | NEUTRAL WHITE 4000K / CRI 90+ |
|-------------|-------------------------------|-------------------------------|----------------------------------|
| | MEDIUM 25° | MEDIUM 25° | MEDIUM 25° |
| black struc | 12861032 | 12861132 | 12861232 |
| white struc | 12861009 | 12861109 | 12861209 |



This label is available in other languages:
<http://supermodular.com/assets/TYPE2.pdf>



SMART LOTIS 48 IP54 LED GE

ACCESSORIES

GYPKIT

12290730 | GYPKIT 100X120 - Ø45

CONBOX

10889530 | CONBOX 100X123X80X187

SURFACE-TUBED

12900032 | SMART SURFACE TUBED 48 GE FOR 1X LED BLACK STRUC

12900009 | SMART SURFACE TUBED 48 GE FOR 1X LED WHITE STRUC



