



## SMART LOTIS 82 IP54 LED GE

Smart lotis is the best known fixture within the Smart family. The deeply recessed cone which holds the light source inspired the designers to create a very versatile spot to be combined with multiple accessories. This family's styling is based on our most popular designs. Concretely this means that the luminaires consist of a module (LED or halogen) which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or Smart surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...

Art. Nr. 12442346

### SPECIFICATIONS

Lamp	1x LED Array	
Gear / Transfo	LED gear not incl.	
Cut-out size	ø 70 h 60	
Weight	0.36kg	
Min. Distance	0.1 m	
IP	IP54	
Glow Wire Test	960°	
Source lifetime	50000 hrs	
CRI	90	
Power supply	<b>500mA</b>	350mA
	<b>18.4Vf</b>	17.8Vf
Connected load	<b>9.2W</b>	6.2W
Lumen	<b>660lm</b>	492lm
Efficacy	<b>72lm/W</b>	79lm/W
UGR	<b>16</b>	15
Adjustability	Not Applicable	
Remark	! 3500K on request ! can be combined with Smart mask ! can be combined with Smart surface box & surface tubed (surface/suspension)	

	WARM WHITE 2700K / CRI 90+			NEUTRAL WHITE 4000K / CRI 90+			WARM WHITE 3000K / CRI 90+		
	MEDIUM 25°	FLOOD 40°	SPOT 15°	FLOOD 40°	MEDIUM 25°	SPOT 15°	MEDIUM 25°	FLOOD 40°	SPOT 15°
black struc	12442032	12442132	12442632	12442232	12442532	12442832	12442332	12442432	12442732
gold	12442046	12442146	12442646	12442246	12442546	12442846	<b>12442346</b>	12442446	12442746
white struc	12442009	12442109	12442609	12442209	12442509	12442809	12442309	12442409	12442709



This label is available in other languages:  
<http://supermodular.com/assets/TYPE2.pdf>



Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on [www.supermodular.com](http://www.supermodular.com).

## SMART LOTIS 82 IP54 LED GE

### ACCESSORIES

#### GYPKIT

12290130	GYPKIT 190X190 - Ø70
12291030	GYPKIT 210X190-2XØ70

#### CONBOX

10889830	CONBOX 190X192X130X256
----------	------------------------

#### MASK

12500032	SMART MASK 82 1X BLACK STRUC
12500046	SMART MASK 82 1X GOLD
12500009	SMART MASK 82 1X WHITE STRUC
12500132	SMART MASK 82 2X BLACK STRUC
12500146	SMART MASK 82 2X GOLD
12500109	SMART MASK 82 2X WHITE STRUC

#### SURFACE-BOX





12514032	SMART SURFACE BOX 82 GI FOR 1X LED GE BLACK STRUC
12514009	SMART SURFACE BOX 82 GI FOR 1X LED GE WHITE STRUC
12514132	SMART SURFACE BOX 82 1-10V/PUSHDIM GI FOR 1X LED GE BLACK STRUC
12514109	SMART SURFACE BOX 82 1-10V/PUSHDIM GI FOR 1X LED GE WHITE STRUC
12515032	SMART SURFACE BOX 82 GI FOR 2X LED GE BLACK STRUC
12515009	SMART SURFACE BOX 82 GI FOR 2X LED GE WHITE STRUC
12515132	SMART SURFACE BOX 82 1-10V/PUSHDIM GI FOR 2X LED GE BLACK STRUC
12515109	SMART SURFACE BOX 82 1-10V/PUSHDIM GI FOR 2X LED GE WHITE STRUC

#### RECESSED-FRAME

12500230	RECESSED RING Ø70 H100
----------	------------------------

#### SURFACE-TUBED

12842432	SMART SURFACE TUBED SUSPENSION 82 XL LED DALI GI BLACK STRUC
12842424	SMART SURFACE TUBED SUSPENSION 82 XL LED DALI GI BRUSHED ALU
12842409	SMART SURFACE TUBED SUSPENSION 82 XL LED DALI GI WHITE STRUC
12842332	SMART SURFACE TUBED SUSPENSION 82 XL LED 1-10V/PUSHDIM GI BLACK STRUC
12842324	SMART SURFACE TUBED SUSPENSION 82 XL LED 1-10V/PUSHDIM GI BRUSHED ALU
12842309	SMART SURFACE TUBED SUSPENSION 82 XL LED 1-10V/PUSHDIM GI WHITE STRUC



### ACCESSORIES

#### SURFACE-TUBED

12845032	SMART SURFACE TUBED 82 LARGE LED GE BLACK STRUC
12845024	SMART SURFACE TUBED 82 LARGE LED GE BRUSHED ALU
12845009	SMART SURFACE TUBED 82 LARGE LED GE WHITE STRUC
12844032	SMART SURFACE TUBED 82 LARGE LED GI BLACK STRUC
12844024	SMART SURFACE TUBED 82 LARGE LED GI BRUSHED ALU
12844009	SMART SURFACE TUBED 82 LARGE LED GI WHITE STRUC

