



LOTIS

see also:



p. 498



Modular's holy lighting grail

Lotis is the recessed spotlight which started it all. The hallmark of this luminaire, is the deeply recessed cone which holds the light source and has a fine edge. Choose white, black, aluminium or gold for a different lighting experience or to match with the interior decoration. Lotis comes in different diameters and with different lighting sources.

ACCESSORIES

ELECTRICAL - DRIVERS

SEE GOODIES SECTION

INSTALLATION - CONBOX

LOTIS 82 LED / HIPAR / MR16 / GU10
 LOTIS 97 ADJUSTABLE LED / HIPAR / MR16 / GU10

10889830 CONBOX 190x192x130x256

INSTALLATION - GYPKIT

LOTIS 82 LED / MR16 / GU10

12290830 GYPKIT 190X190 - Ø76

LOTIS 86 IP55 LED / MR16 / GU10

12290230 GYPKIT 190X190 - Ø80

LOTIS 97 ADJUSTABLE LED / HIPAR / MR16 / GU10

12290330 GYPKIT 190X190 - Ø92

LIGHTING - COLOUR FILTER

LOTIS 82 LED
 LOTIS 97 ADJUSTABLE LED

10213813 COLOUR FILTER Ø44 RED

10213814 COLOUR FILTER Ø44 YELLOW

10213815 COLOUR FILTER Ø44 GREEN

10213816 COLOUR FILTER Ø44 BLUE

LOTIS 82 HIPAR
 LOTIS 97 ADJUSTABLE HIPAR

10211913 COLOUR FILTER Ø50 RED

10211914 COLOUR FILTER Ø50 YELLOW

10211915 COLOUR FILTER Ø50 GREEN

10211916 COLOUR FILTER Ø50 BLUE

LOTIS 230 CDM-TC

10210513 COLOUR FILTER Ø92 RED

10210514 COLOUR FILTER Ø92 YELLOW

10210515 COLOUR FILTER Ø92 GREEN

10210516 COLOUR FILTER Ø92 BLUE

LIGHTING - ANTIGLARE

LOTIS 82 LED
 LOTIS 97 ADJUSTABLE LED

10212803 SPREADLENS Ø44

10213103 SOFTLENS Ø44

LOTIS 82 LED
 LOTIS 97 ADJUSTABLE LED

10211903 SPREADLENS Ø50

10213003 SOFTLENS Ø50

LOTIS 230 CDM-TC

10210503 SOFTLENS Ø92

10210504 SPREADLENS Ø92

LIGHTING - REFLECTOR

LOTIS 230 CDM-TC



10214530 REFLECTOR Ø110 SPOT

10214630 REFLECTOR Ø110 MEDIUM

10214730 REFLECTOR Ø110 FLOOD

ECO LED GE

Lotis 82 LED GE





1X LED ARRAY INCL. 10.5W

Icons: 500mA 2IV DC, IP20, GWT 960°, 0.31KG

	WARM WHITE 2700K / CR190+		NEUTRAL WHITE 4000K / CR180+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	11458005	11457905	11458205	11458105
black	11458002	11457902	11458202	11458102
gold	11458046	11457946	11458246	11458146
white struc	11458009	11457909	11458209	11458109

ECO LED RG

Lotis 82 LED RG



1X LED ARRAY INCL. 10.5W



Icons: 230V, IP20, GWT 960°, 0.31KG

NOT DIMMABLE	WARM WHITE 2700K / CR190+		NEUTRAL WHITE 4000K / CR180+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	11450505	11450705	11450905	11451105
black	11450502	11450702	11450902	11451102
gold	11450546	11450746	11450946	11451146
white struc	11450509	11450709	11450909	11451109

1-10V/PUSHDIM	WARM WHITE 2700K / CR190+		NEUTRAL WHITE 4000K / CR180+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	11450405	11450605	11450805	11451005
black	11450402	11450602	11450802	11451002
gold	11450446	11450646	11450846	11451046
white struc	11450409	11450609	11450809	11451009

ECO LED

Lotis 82 LED retrofit



1X LED GU10 INCL. GU10 5.5W



Icons: 230V, R,L, IP20, GWT 960°, 0.25KG

	WARM WHITE 2700K	
	MEDIUM 25°	
alu	11450005	
black	11450002	
gold	11450046	
white struc	11450009	

Lotis

ECO DISCHARGE GE

Lotis 82 HIPAR GE





1X HIPAR-C 16 GX10 MAX. 35W



alu	10882505
black	10882502
gold	10882546
white struc	10882509

HALOGEN 12V GE

Lotis 82 MR16 GE





1X QR-CBC 54 GX5.3 MAX. 50W



alu	10880105
black	10880102
gold	10880146
white struc	10880109

HALOGEN 230V

Lotis 82 GU10





1X QPAR 16 GU10 MAX. 50W



alu	10881005
black	10881002
gold	10881046
white struc	10881009

ECO LED GE

Lotis 86 IP55 LED GE



1X LED ARRAY INCL. 10.5W




	WARM WHITE 2700K / CR190+		NEUTRAL WHITE 4000K / CR180+	
	MEDIUM 20°	FLOOD 50°	MEDIUM 20°	FLOOD 50°
alu struc	11457628	11457528	11457828	11457728
black struc	11457608	11457508	11457808	11457708
white struc	11457638	11457538	11457838	11457738




LOTIS
LELY, MAASSLUIS (NL)
CONSORTARCHITECTS

Lotis





LOTIS
DE PLANTAGE, AMSTERDAM (NL)
STUDIO LINSE



Lotis

ECO LED RG

Lotis 86 IP55 LED RG



1X LED ARRAY INCL. | 10.5W





NOT DIMMABLE	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu struc	I1453728	I1453928	I1454128	I1454328
black struc	I1453708	I1453908	I1454108	I1454308
white struc	I1453738	I1453938	I1454138	I1454338

1-10V/PUSHDIM	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu struc	I1453628	I1453828	I1454028	I1454228
black struc	I1453608	I1453808	I1454008	I1454208
white struc	I1453638	I1453838	I1454038	I1454238

ECO LED

Lotis 86 IP55 LED retrofit





1X LED GU10 INCL. | GU10 | 5.5W



	WARM WHITE 2700K	
	MEDIUM 25°	FLOOD 50°
alu struc	I1456228	
black struc	I1456208	
white struc	I1456238	

HALOGEN 12V GE

Lotis 86 IP55 MR16 GE





1X QR-CBC 57 | GX5.3 | MAX. 50W



alu struc	I0883528
black struc	I0883508
white struc	I0883538

HALOGEN 230V

Lotis 86 IP55 GU10





1X QPAR 16 | GU10 | MAX. 50W



alu struc	I0883628
black struc	I0883608
white struc	I0883638

ECO LED GE

Lotis 82 concrete LED GE





1X LED ARRAY INCL. 10.5W

500mA 2IV DC IP20 GWT 960° 0.34KG

	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 20°	FLOOD 50°	MEDIUM 20°	FLOOD 50°
black	12564102	12564002	12564302	12564202
white struc	12564109	12564009	12564309	12564209

ECO LED RG

Lotis 82 concrete LED RG



1X LED ARRAY INCL. 10.5W



230V IP20 GWT 960° 0.34KG

NOT DIMMABLE	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
black	12563002	12563102	12563202	12563302
white struc	12563009	12563109	12563209	12563309

1-10V/PUSHDIM	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
black	12562002	12562102	12562202	12562302
white struc	12562009	12562109	12562209	12562309

HALOGEN 12V GE

Lotis 82 concrete MR16 GE





1X QR-CBC 59 GX5.3 MAX. 50W

12V IP20 GWT 960° 0.15KG

black	12560002
white struc	12560009

HALOGEN 230V

Lotis 82 concrete GU10




1X QPAR 16 GU10 MAX. 50W

230V R,L IP20 GWT 960° 0.17KG

black	12561002
white struc	12561009



Lotis



LOTIS / SCOTTY
BISTRO VINTAGE, KONTICH (BE)

ECO LED GE

Lotis 97 adjustable LED GE





1X LED ARRAY INCL. | 10.5W

III 500mA 2IV DC IP20 GWT 960° 0.77KG ▲

	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 20°	FLOOD 50°	MEDIUM 20°	FLOOD 50°
alu	I1457205	I1457105	I1457405	I1457305
black	I1457202	I1457102	I1457402	I1457302
white struc	I1457209	I1457109	I1457409	I1457309

ECO LED RG

Lotis 97 adjustable LED RG



1X LED ARRAY INCL. | 10.5W



□ 230V ▲ IP20 GWT 960° 0.77KG ▲

NOT DIMMABLE	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	I1451305	I1451505	I1451705	I1451905
black	I1451302	I1451502	I1451702	I1451902
white struc	I1451309	I1451509	I1451709	I1451909

1-10V/PUSHDIM	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	I1451205	I1451405	I1451605	I1451805
black	I1451202	I1451402	I1451602	I1451802
white struc	I1451209	I1451409	I1451609	I1451809

ECO DISCHARGE GE

Lotis 97 adjustable HIPAR GE





1X HIPAR-C 16 | GX10 | MAX. 35W

⊕ 4-5kV IP20 GWT 960° 0.40KG ▲

alu	I0882705
black	I0882702
white struc	I0882709

HALOGEN 12V GE

Lotis 97 adjustable MR16 GE



1X QR-CBC 51 | GX5.3 | 50W



III 12V IP20 GWT 960° 0.40KG ▲

alu	I0881205
black	I0881202
white struc	I0881209

Lotis

HALOGEN 230V

Lotis 97 adjustable GU10





1X QPAR 16 | GU10 | 50W



alu	10881305
black	10881302
white struc	10881309

ECO | LED | GE

Lotis 97 concrete adjustable LED GE





1X LED ARRAY INCL. | 10.5W



	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 20°	FLOOD 50°	MEDIUM 20°	FLOOD 50°
black	12574102	12574002	12574302	12574202
white struc	12574109	12574009	12574309	12574209

ECO | LED | RG

Lotis 97 concrete adjustable LED RG



1X LED ARRAY INCL. | 10.5W





NOT DIMMABLE	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
black	12573002	12573102	12573202	12573302
white struc	12573009	12573109	12573209	12573309


1-10V/PUSHDIM	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
black	12572002	12572102	12572202	12572302
white struc	12572009	12572109	12572209	12572309

HALOGEN 12V | GE

Lotis 97 concrete adjustable MR16 GE





1X QR-CBC 51 | GX5.3 | MAX. 50W



black	12570002
white struc	12570009

HALOGEN 230V

Lotis 97 concrete adjustable GU10





1X QPAR 16 GU10 MAX. 50W

230V R,L IP20 GWT 960° 0.22KG

black	12571002
white struc	12571009

ECO LED RG

Lotis 168 IP44 LED 1100lm RG



1X DLM INCL. 3000K/11W 4000K/10W



230V IP44 GWT 960° 1.50KG

NOT DIMMABLE	WARM WHITE 3000K / CRI80 WIDE FLOOD 70°	NEUTRAL WHITE 4000K / CRI80 WIDE FLOOD 70°
	black	11455202
gold	11455246	11455446
white struc	11455209	11455409

DALI/PUSHDIM	WARM WHITE 3000K / CRI80 WIDE FLOOD 70°	NEUTRAL WHITE 4000K / CRI80 WIDE FLOOD 70°
	black	11455302
gold	11455346	11455546
white struc	11455309	11455509

ECO LED RG

Lotis 168 IP44 LED 2000lm RG



1X DLM INCL. 3000K/21W 4000K/19W



230V IP44 GWT 960° 1.50KG

NOT DIMMABLE	WARM WHITE 3000K / CRI80 WIDE FLOOD 70°	NEUTRAL WHITE 4000K / CRI80 WIDE FLOOD 70°
	black	11455602
gold	11455646	11455846
white struc	11455609	11455809

DALI/PUSHDIM	WARM WHITE 3000K / CRI80 WIDE FLOOD 70°	NEUTRAL WHITE 4000K / CRI80 WIDE FLOOD 70°
	black	11455702
gold	11455746	11455946
white struc	11455709	11455909

ECO LED RG

Lotis 168 IP44 LED 3000lm RG



1X DLM INCL. 3000K/32W 4000K/29W

230V IP44 GWT 960° 1.50KG


NOT DIMMABLE	WARM WHITE 3000K / CRI80 WIDE FLOOD 70°	NEUTRAL WHITE 4000K / CRI80 WIDE FLOOD 70°
	black	11459002
gold	11459046	11459246
white struc	11459009	11459209

DALI/PUSHDIM	WARM WHITE 3000K / CRI80 WIDE FLOOD 70°	NEUTRAL WHITE 4000K / CRI80 WIDE FLOOD 70°
	black	11459102
gold	11459146	11459346
white struc	11459109	11459309

Lotis

ECO DISCHARGE GE

Lotis 230 CDM-TC GE



1X HIT-TC -CE | G8.5 | MAX.70W





alu	10881805
black	10881802
white struc	10881809

! ALWAYS USE WITH OPTIONAL REFLECTOR

HALOGEN 12V GE

Lotis 230 AR111 GE



1X QR-LP 111 | G53 | MAX. 50W




alu	10880205
black	10880202
white struc	10880209

! CAN BE COMBINED WITH M-LED 111

ECO COMPACT FLUORESCENT GI

Lotis 290 TC-D 2x 26/32W



2X TC-TEL | GX24Q-3 | 26/32W



alu	10881605
black	10881602
white struc	10881609

ACCESSORIES

ELECTRICAL - DRIVERS

SEE GOODIES SECTION

ELECTRICAL - LED MODULE GE

! LED DRIVER SEE GOODIES SECTION

LOTIS 230 AR111 GE

11298009	M-LED 111 2700K SPOT GE WHITE STRUC
11298002	M-LED 111 2700K SPOT GE BLACK MATT
11298109	M-LED 111 2700K MEDIUM GE WHITE STRUC
11298102	M-LED 111 2700K MEDIUM GE BLACK MATT
11298209	M-LED 111 2700K FLOOD GE WHITE STRUC
11298202	M-LED 111 2700K FLOOD GE BLACK MATT
11298309	M-LED 111 3000K SPOT GE WHITE STRUC
11298302	M-LED 111 3000K SPOT GE BLACK MATT
11298409	M-LED 111 3000K MEDIUM GE WHITE STRUC
11298402	M-LED 111 3000K MEDIUM GE BLACK MATT
11298509	M-LED 111 3000K FLOOD GE WHITE STRUC
11298502	M-LED 111 3000K FLOOD GE BLACK MATT
11298609	M-LED 111 4000K SPOT GE WHITE STRUC
11298602	M-LED 111 4000K SPOT GE BLACK MATT
11298709	M-LED 111 4000K MEDIUM GE WHITE STRUC
11298702	M-LED 111 4000K MEDIUM GE BLACK MATT
11298809	M-LED 111 4000K FLOOD GE WHITE STRUC
11298802	M-LED 111 4000K FLOOD GE BLACK MATT



M-LED 111



LOTIS
PRIVATE RESIDENCE, CHARLOTTENLUND (DK)

Lotis



LOTIS / SCOTTY
PRIVATE RESIDENCE, IZEGEM (BE)
GERD COUCKHUYT



LOTIS
PRIVATE RESIDENCE, CHARLOTTENLUND (DK)