


LOWIEZE HIGH IP54 2X LED GI

Lowieze is a highly versatile outdoor luminaire and comes in two heights. The lower is perfect for enlightening a pathway. The higher version is better equipped for highlighting garden features. Form blends in perfectly with its function. The cylindrical light units can rotate fully around the body, which is also a cylinder, and can therefore be used as uplighters or downlighters independently of each other. Available with one or two light units.

Art. Nr. 12672408

SPECIFICATIONS

| Lamp | 2x high power LED 4W |
|----------------|----------------------|
| Gear / Transfo | LED gear incl. |
| Weight | 2.3kg |
| Min. Distance | 0.1 m |
| Power supply | 230V |
| IP | IP54 |
| Glow Wire Test | 960° |
| CRI | 90 |
| Lumen | 208 Lm |
| Efficacy | 42 Lm/W |
| UGR | 9 |
| Adjustability | v 359° |



This label is available in other languages: http://supermodular.com/assets/TYPE2.pdf

| | WARM WHITE 3000K / CRI 90+ |
|-------------|-------------------------------|
| | FLOOD 40° |
| black struc | 12672408 |















Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com.

1/2 17/01/2017 - ©2017 Modular Lighting Instruments

LOWIEZE



| OWIE7E L | IIGH IP54 2X LED GI | |
|------------|---------------------|--------------|
| ACCESSORIE | | |
| EARTHPIN | | |
| 11189802 | EARTHPIN H350 | . |
| | ı | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |