
SMART LOTIS








SMART LOTIS 82 MR16 GE

Smart lotis is the best known fixture within the Smart family. The deeply recessed cone which holds the light source inspired the designers to create a very versatile spot to be combined with multiple accessories. This family's styling is based on our most popular designs. Concretely this means that the luminaires consist of a module (LED or halogen) which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or Smart surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...

Art. Nr. 12450009

SPECIFICATIONS

Lamp	1x QR-CBC 51 Gu 5.3 max. 50W
Gear / Transfo	transfo not incl.
Cut-out size	ø 70 h 90
Weight	0.1kg
Min. Distance	0.5 m
Power supply	12V
IP	IP20
Glow Wire Test	960°
Source lifetime	2000 hrs
UGR	19
Adjustability	Not Applicable
Remark	! can be combined with Smart mask
	! can be combined with Smart surface box & surface
	tubed large GE



This label is available in other languages: http://supermodular.com/assets/TYPE3.pdf

 black struc
 12450032

 white struc
 12450009







Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com.

SMART LOTIS



SMART LOTIS 82 MR16 GE

12500230

RECESSED RING Ø70 H100

ACCESSORIES GYPKIT 12290130 | GYPKIT 190X190 - Ø70 12291030 | GYPKIT 210X190-2XØ70 CONBOX 10889830 | CONBOX 190X192X130X256 RECESSED-FRAME

