





## ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B

BESCHIKBAAR IN  
**ZWART** 28452 9020 B  
**GOUD KLEUR** 28452 9020 GC  
**WIT** 28452 9020 W



 [Bekijk op website](#)



### Algemene info

<b>LOCATIE</b>	binnen
<b>INSTALLATIE</b>	Plafond Inbouw
<b>ZAAGMAAT/OPENING (MM)</b>	rond - Ø KIT
<b>INBOUWDIEPTE (MM)</b>	115
<b>STOF EN WATERDICHTHEID</b>	IP44/20
<b>GEWICHT (KG)</b>	0.245
<b>RICHTBAARHEID</b>	0° tot 20° zwenkbaar, 355° roteerbaar
<b>INFO</b>	REFLECTOR FL-20° EXCL.LED POWER SUPPLY 500mA-DC TW - (DALI DT8)

### Elektrische info

<b>KLASSE</b>	III
<b>ENERGIE KLASSE</b>	E

### Info lichtbron

Lightsource Name	LED
Lichtbron	LED array 9W / CRI>90 (R9: 50) / 2700K-6500K / 1087lm
TM-30-15 Waarden	Rf: 89 / Rg: 100
SDCM	SDCM2
Risk-groep	RG1
LM80	L90B10 > 50000
LED techniek (lichtbron)	1087lm // 9W // 121lm/W
LED techniek (toestel)	692lm // 10W // 67lm/W

### Benodigdheden

























MOUNTING KIT ENTERO ROUND S  
MOUNTING KIT AIR 105  
LED POWER SUPPLY 500mA-DC TW

# ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B

Voor gedetailleerde montage gegevens, consulteer de handleiding: [28452\\_XXX0\\_HAND.pdf](#)

## PLAFOND COMPATIBILITEIT

Ceiling Type	Mounting Kit	
 <b>System ceiling</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Plasterboard</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Stucanet</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Wood</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Concrete + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Lintel + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Hollow-core slab + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Stretched ceiling</b>	 MOUNTING KIT ENTERO RD-S CSC	Required
	 MOUNTING KIT ENTERO RD-S WSC	Required
 <b>Ventilation in plasterboard</b>	 MOUNTING KIT SIDE AIR ONLY 1	Required
	 MOUNTING KIT SIDE AIR 105	Required
	 MOUNTING KIT NO AIR 105	Required
 <b>Ventilation in concrete + plaster</b>	 MOUNTING KIT NO AIR 105	Required
	 MOUNTING KIT TOP AIR ONLY 1	Required

## ENTERO RD-S TRIMLESS IP TW 96520 B


28452 9020 B

### VERVOLLEDIG UW SPECIFICATIE

#### LED voedingen

---

#



**21012 0355** LED POWER SUPPLY 500mA-DC 2CH TW DIM5

1->2

#### Montage kit


---



**28400 0010** MOUNTING KIT ENTERO RD-S O.F.A.

#### Montage kit spanplafond

---




**28400 0070** MOUNTING KIT ENTERO RD-S CSC



**28400 0130** MOUNTING KIT ENTERO RD-S WSC

#### Montage kit - side air + light

---




**29810 0110** MOUNTING KIT SIDE AIR 105

# ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B

## Montage kit - side air only

---




**29810 0100** MOUNTING KIT SIDE AIR ONLY 1



## Montage kit - top air only

---




**29810 0200** MOUNTING KIT TOP AIR ONLY 1



## Montage kit - no air

---



**29810 0120** MOUNTING KIT NO AIR 105



Notes: