

# PRODUCT FAMILY DATASHEET

## OUTDOOR SURFACE ROUND

Wall and ceiling luminaires with modern design in round shape



---

### AREAS OF APPLICATION

- Outdoor
- Building facades
- Gardens, balconies and other outdoor areas

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation
- Homogeneous light output

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP54
- Die-cast aluminum housing
- Available in two housing colors: white and dark gray
- Diffuser made of opal polycarbonate




TECHNICAL DATA


Product description	Electrical data	Luminaire control gear data			Photometric data	Light technical data	Dimensions & weight		
	Nominal wattage	Max. no. of lum. on circuit break. B16 A	Max. no. of lum. on circuit break. C10 A	Max. no. of lum. on circuit break. C16 A	Luminous flux	Beam angle	Diameter	Height	Product weight
O SURFACE RD 13 W 3000 K IP54 GY	13.00 W	75	96	60	480 lm	100.00 °	202.0 mm	45.0 mm	770.00 g
O SURFACE RD 13 W 3000 K IP54 WT	13.00 W	75	96	60	600 lm	100.00 °	202.0 mm	45.0 mm	770.00 g

Product description	Colors & materials	Temperatures & operating conditions	Lifespan			Additional product data	
	Product color	Ambient temperature range	Lifespan L70 at 25 °C	Lifespan L80 at 25 °C	Lifespan L90 at 25 °C	Mounting type	Mounting location
O SURFACE RD 13 W 3000 K IP54 GY	Gray	-20...+40 °C	30000 h	- h	- h	Surface	Ceiling / Wall
O SURFACE RD 13 W 3000 K IP54 WT	White	-20...+40 °C	30000 h	- h	- h	Surface	Ceiling / Wall


Product description	Capabilities
	Dimmable
O SURFACE RD 13 W 3000 K IP54 GY	No
O SURFACE RD 13 W 3000 K IP54 WT	No



O SURFACE RD 13 W 3000 K IP54 GY, O SURFACE RD 13 W 3000 K IP54 WT



O SURFACE RD 13 W 3000 K IP54 GY



O SURFACE RD 13 W 3000 K IP54 WT

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

**APPLICATION ADVICE**

For more detailed application information and graphics please see product datasheet.

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075074903	Shipping carton box 6	470 mm x 255 mm x 215 mm	5254.00 g	25.77 dm <sup>3</sup>
4058075074927	Shipping carton box 6	470 mm x 255 mm x 215 mm	5254.00 g	25.77 dm <sup>3</sup>

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
--------------	------------------------------	--------------------------------------	--------------	--------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### REFERENCES / LINKS

For Guarantee see

▶ [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

---

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.