

PRODUCT DATA SHEET

Part number 519406

EAN 4015609021468

Manufacturer WALTHER-WERKE

WEEE-Reg.-Number: DE 22131895

Product description

Waterproof panel socket angled 16A 4P 6h with flange 100x92mm



Similar image





Detailed product description

WALTHER Panel socket 16A 4P 400V 6h IP67
 angled
 made from PA6 material
 finger-safe in accordance with BGV A3
 soft transition
 radius from flange to collar
 flange 100x92
 fixing center 85x77

Ordering Information

| | |
|-------------------------|-----------|
| Order unit | Piece |
| Customs number | 85366990 |
| Net weight | 0,2057 kg |
| Packing quantity (VPE) | 10 |
| Length of the packaging | 0,31 m |
| Width of the packaging | 0,255 m |
| Depth of the packaging | 0,15 m |
| Gross weight(VPE) | 2,253 kg |

Certificates

| | | |
|-------------------|-----------------------|---|
| VDE certification | 123017 |  |
| UL certification | No. E83342 |  |
| UL certification | No. E188992 |  |
| EAC certification | BY112.02.01.020 06089 |  |


Classification system

| | |
|-----------------------|----------|
| Classification system | ETIM_6.0 |
| ETIM Class | EC001317 |

Technical product data

| | |
|---------------------------------------|----------------------|
| IEC-amperage | 16 A |
| Amperage acc. UL/CSA (for UL-version) | 20 A |
| Number of poles | 4 |
| Voltage acc. EN 60309-2 | 400 V (50+60 Hz) red |
| Clock hour position | 6 h |
| Identification colour | Red |
| RAL-number | 3000 |
| Degree of protection (IP) | IP67 |
| Connection system | Screwed terminal |
| Angle of plug | Angled |
| Material | Plastic |
| Military model | False |
| Flange size vertical | 100 mm |
| Drill hole distance vertical | 85 mm |
| Flange size horizontal | 92 mm |
| Drill hole distance horizontal | 77 mm |

Dimension sheet



| Amp. | 16 | | | 32 | | | 63 | | |
|------|-----|------|------|-----|------|------|-----|------|------|
| | 3 | 4 | 5 | 3 | 4 | 5 | 3 | 4 | 5 |
| a | 47 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 |
| b | 47 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| c | 5,5 | 5,5 | 5,5 | 5,5 | 5,5 | 5,5 | 6,5 | 6,5 | 6,5 |
| d | 68 | 100 | 100 | 100 | 100 | 100 | 107 | 107 | 107 |
| e | 62 | 92 | 92 | 92 | 92 | 92 | 100 | 100 | 100 |
| f | 49 | 52 | 52 | 56 | 56 | 60 | 82 | 82 | 82 |
| h | 51 | 73 | 70 | 73 | 73 | 78 | 81 | 81 | 84 |
| m | -/- | 2 | 2 | -/- | 2,5 | 2,5 | -/- | 2,5 | 3 |
| n | 41 | 38 | 38 | 47 | 47 | 47 | 64 | 64 | 64 |
| p | 6 | 9 | 9 | 9 | 9 | 9 | 12 | 12 | 12 |
| r | 6,5 | 7,5 | 7,5 | 7,5 | 7,5 | 8,5 | 8 | 8 | 9 |
| s | -/- | 42,5 | 42,5 | -/- | 42,5 | 42,5 | -/- | 42,5 | 42,5 |
| u | 72 | 81 | 88 | 96 | 96 | 103 | 110 | 110 | 110 |
| y | 53 | 76 | -/- | 76 | 76 | -/- | 85 | 85 | -/- |
| z | 57 | 82 | 74 | 82 | 82 | 85 | 90 | 90 | 90 |