

## SMART LOTIS 48 LED GE


Smart lotis is the best known fixture within the Smart family. The deeply recessed cone which holds the light source inspired the designers to create a very versatile spot to be combined with multiple accessories. This family's styling is based on our most popular designs. Concretely this means that the luminaires consist of a module (LED or halogen) which can be combined with one of three trims to suit your needs. The new spotlights can be combined with Smart mask, Smart surface box or Smart surface tubed to form the perfect solution for any interior. Choose a white, black or gold finishing. Also available in different sizes, fix and adjustable, IP version, ...

Art. Nr. 12860009

### SPECIFICATIONS

|                |  |                            |
|----------------|--|----------------------------|
| Lamp           | 1x high power LED                          |                            |
| Gear / Transfo | LED gear not incl.                         |                            |
| Cut-out size   | ø 44 h 60 (ø 46 for wood)                  |                            |
| Weight         | 0.12kg                                     |                            |
| Min. Distance  | 0.1  |                            |
| IP             | IP20                                       |                            |
| Glow Wire Test | 960°                                       |                            |
| CRI            | 90   |                            |
| Power supply   | 350mA<br>3Vf                               | <b>500mA</b><br><b>3Vf</b> |
| Connected load | 1W   | <b>1.5W</b>                |
| Lumen          | 70lm                                       | <b>99lm</b>                |
| Efficacy       | 70lm/W                                     | <b>66lm/W</b>              |
| UGR            | 7  | <b>8</b>                   |
| Adjustability  | Not Applicable                             |                            |
| Remark         | ! can be combined with Smart surface tubed |                            |

|             | WARM WHITE<br>3000K / CRI 90+ | WARM WHITE<br>2700K / CRI 90+ | NEUTRAL WHITE<br>4000K / CRI 90+ |
|-------------|-------------------------------|-------------------------------|----------------------------------|
|             | MEDIUM<br>25°                 | MEDIUM<br>25°                 | MEDIUM<br>25°                    |
| black struc | 12860032                      | 12860132                      | 12860232                         |
| white struc | <b>12860009</b>               | 12860109                      | 12860209                         |



This label is available in other languages:  
<http://supermodular.com/assets/TYPE2.pdf>



## SMART LOTIS 48 LED GE

### ACCESSORIES

#### GYPKIT

12290730 | GYPKIT 100X120 - Ø45

#### CONBOX

10889530 | CONBOX 100X123X80X187

#### SURFACE-TUBED

12900032 | SMART SURFACE TUBED 48 GE FOR 1X LED BLACK STRUC

12900009 | SMART SURFACE TUBED 48 GE FOR 1X LED WHITE STRUC

