Universals



UNI20

This loudspeaker has a neutral design, with a strong bass reflex housing. It generates great performance output as a result, in spite of its compact dimensions. This loudspeaker is suitable for use in smaller spaces, such as a corridor, small kitchen, toilet, etc...

- ① This specially designed bracket is multi-functional and allows a quick mounting. Thanks to the ball and socket joint, you can align it in any direction you like, even horizontally.
- ② The plug-in screw adaptor greatly simplifies the way the speaker cable is connected.



The UNI20 may be very compact, yet generates a warm sound thanks to its three-way system.




COLOURS white / black / quartz



TECHNICAL SPECIFICATIONS

range	<20m ²
sound quality	background
system	2-way
woofer	2" paper cone
tweeter	1/2" PEI
bass reflex	no
magnetic shielded	no
amp power	10 - 40W
sensibility	83dB
impedance	8Ω
frequency range	150Hz - 20kHz
dimensions (h x w x d)	150 x 96 x 94mm
weight / piece	0,73kg
housing	ABS
colour	white / black / quartz
extra	wall-bracket



COLOURS white / black / quartz





(1) wall-bracket



2 plug-in screw adaptor

TECHNICAL SPECIFICATIONS

range	<40m ²
sound quality	allround
system	2-way
woofer	3" paper cone
tweeter	1/2″ PEI
bass reflex	no
magnetic shielded	no
amp power	20 - 60W
sensibility	86dB
impedance	8Ω
frequency range	100Hz - 20kHz
dimensions (h x w x d)	180 x 115 x 112mm
weight / piece	1,2kg
housing	ABS
colour	white / black / quartz
extra	wall-bracket

UNI30

This loudspeaker is a real bestseller in various countries. thanks to its neutral design and its strong bass reflex housing. It generates great performance output as a result, in spite of its compact dimensions. This loudspeaker may be used in a kitchen, tavern and even an industrial warehouse.

1) This specially designed brace ket is multi-functional and allows a quick mounting. Thanks to the ball and socket joint, you can align it in any direction you like, even horizontally.

2 The plug-in screw adaptor greatly simplifies the way the speaker cable is connected.



You'll find the UNI30 at Starbucks, at railway stations but also in a variety of stores. You might even find it in your neighbour's kitchen.

UNI40

This loudspeaker has a neutral design, with a strong bass reflex housing. It generates great performance output as a result, in spite of its compact dimensions. This loudspeaker may be used in a kitchen, tavern as well as any retail store.

① This specially designed bracket is multi-functional and allows a quick mounting. Thanks to the ball and socket joint, you can align it in any direction you like, even horizontally.

(2) The plug-in screw adaptor greatly simplifies the way the speaker cable is connected.



Since the AS40 can pack a punch, it is suitable for any large space. Its classic form ensures it will blend into its surroundings.



COLOURS white / black / quartz



TECHNICAL SPECIFICATIONS

range	<40m ²
sound quality	warm
system	2-way
woofer	5.25" polypropylene mica
tweeter	1/2" PEI
bass reflex	no
magnetic shielded	no
amp power	20 - 100W (recommended)
sensibility	87dB
impedance	8Ω
frequency range	60Hz - 20kHz
dimensions (h x w x d)	230 x 146 x 142mm
weight / piece	1,9kg
housing	ABS
colour	white / black / quartz
extra	wall-bracket

