

SLIDE IP54 LED TRE DIM RG


Slide is one of the Modular icons. Its name refers to the light gliding out from the luminaire, channelled by the stunning inner body, and creating a softer and smooth lighting experience. Slide owes its popularity to its deeply embedded light source. It is available in the Modular donkey grey structure with black inner body or in an entirely white structure version.

Art. Nr. 10486574

SPECIFICATIONS

| | |
|----------------|------------------------------|
| Lamp | 1x LED Array 9.2W |
| Gear / Transfo | LED gear incl. |
| Cut-out size | ø 92 h 75 |
| Weight | 0.40kg |
| Min. Distance | 0.1 |
| Power supply | 230V |
| IP | IP54 |
| Glow Wire Test | 960° |
| CRI | 90 |
| Lumen | 416 Lm |
| Efficacy | 35 Lm/W |
| UGR | 7 |
| Adjustability | Not Applicable |
| Remark | ! 3500K and 4000K on request |

| | WARM WHITE 2700K / CRI 90+ | WARM WHITE 3000K / CRI 90+ |
|---------------------------|-------------------------------|-------------------------------|
| | MEDIUM 25 | MEDIUM 25 |
| donkey grey struc - black | 10486574 | 10486774 |
| white struc | 10486509 | 10486709 |



This label is available in other languages:
<http://supermodular.com/assets/TYPE2.pdf>



SLIDE IP54 LED TRE DIM RG

ACCESSORIES

GYPKIT

12290330 | GYPKIT 190X190 - Ø92

CONBOX

10889830 | CONBOX 190X192X130X256

