





ENTERO RD-S TRIMLESS IP SOFT 93045 B

28484 9030 B

BESCHIKBAAR IN
ZWART 28484 9030 B
GOUD KLEUR 28484 9030 GC
WIT 28484 9030 W



 [Bekijk op website](#)

Algemene info

LOCATIE	binnen
INSTALLATIE	Plafond Inbouw
ZAAGMAAT/OPENING (MM)	rond - Ø KIT
INBOUWDIEPTE (MM)	115
STOF EN WATERDICHTHEID	IP44/20
GEWICHT (KG)	0.245
RICHTBAARHEID	0° tot 20° zwenkbaar, 355° roteerbaar
INFO	REFLECTOR WFL-45° EXCL.DIMMABLE LED POWER SUPPLY 500mA-DC

Elektrische info

KLASSE	III
ENERGIE KLASSE	F

Info lichtbron

Lightsource Name	LED
Lichtbron	LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm
SDCM	SDCM2
Risk-groep	RG1
LM80	L90B10 > 50000
LED techniek (lichtbron)	1038lm // 10,2W // 109lm/W
LED techniek (toestel)	675lm // 12W // 58lm/W

Benodigheden

























MOUNTING KIT ENTERO ROUND S
MOUNTING KIT AIR 105
LED POWER SUPPLY 500mA-DC DIM

Voor gedetailleerde montage gegevens, consulteer de handleiding: [28484_XXX0_HAND.pdf](#)

ENTERO RD-S TRIMLESS IP SOFT 93045 B

28484 9030 B










PLAFOND COMPATIBILITEIT

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Plasterboard	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Stucanet	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Wood	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT ENTERO RD-S CSC	Required
	 MOUNTING KIT ENTERO RD-S WSC	Required
 Ventilation in plasterboard	 MOUNTING KIT SIDE AIR ONLY 1	Required
	 MOUNTING KIT SIDE AIR 105	Required
	 MOUNTING KIT NO AIR 105	Required
 Ventilation in concrete + plaster	 MOUNTING KIT NO AIR 105	Required
	 MOUNTING KIT TOP AIR ONLY 1	Required

ENTERO RD-S TRIMLESS IP SOFT 93045 B


28484 9030 B

VERVOLLEDIG UW SPECIFICATIE

LED voedingen	#
 <p>300 48 500 ED1 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM1</p>	1->2 <input type="checkbox"/>
 <p>300 48 500 ED5 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5</p>	1->2 <input type="checkbox"/>
 <p>300 48 500 MDL LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W MDL</p>	1->2 <input type="checkbox"/>
 <p>300 48 500 WDL LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL</p>	1->2 <input type="checkbox"/>
 <p>300 90 61 LED POWER SUPPLY MULTI-POWER DIM6</p>	1->2 <input type="checkbox"/>
 <p>300 90 63 LED POWER SUPPLY MULTI-POWER DIM9</p>	1->3 (3) <input type="checkbox"/>
 <p>300 90 64 LED POWER SUPPLY MULTI-POWER DIM7</p>	1->2 (1) <input type="checkbox"/>
 <p>300 90 68 LED POWER SUPPLY MULTI-POWER DIM5</p>	1->2 (1) <input type="checkbox"/>
 <p>300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9</p>	1->5 (3) <input type="checkbox"/>

ENTERO RD-S TRIMLESS IP SOFT 93045 B

28484 9030 B



300 90 124

LED POWER SUPPLY MULTI-POWER DIM7


1->1 (1)



300 90 125

LED POWER SUPPLY MULTI-POWER MINI DIM5


1->1 (1)



21012 0010

LED POWER SUPPLY MULTI POWER


1->2



21012 0021

LED POWER SUPPLY MULTI POWER DIM1


1->2



21012 0035

LED POWER SUPPLY MULTI POWER DIM5


1->2



21012 004W

LED POWER SUPPLY MULTI-POWER WDL


1->3 (3)



21012 005W

LED POWER SUPPLY MULTI-POWER COMPACT WDL


1->2



21012 0278

LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8


1->1



21012 0288

LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2




21012 0298

LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->1

ENTERO RD-S TRIMLESS IP SOFT 93045 B

28484 9030 B



21032 0305

LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2




Montage kit



28400 0010 MOUNTING KIT ENTERO RD-S O.F.A.



Montage kit spanplafond




28400 0070 MOUNTING KIT ENTERO RD-S CSC



28400 0130 MOUNTING KIT ENTERO RD-S WSC




Montage kit - side air + light



29810 0110 MOUNTING KIT SIDE AIR 105



Montage kit - side air only




29810 0100 MOUNTING KIT SIDE AIR ONLY 1



ENTERO RD-S TRIMLESS IP SOFT 93045 B

28484 9030 B

Montage kit - top air only



29810 0200 MOUNTING KIT TOP AIR ONLY 1



Montage kit - no air



29810 0120 MOUNTING KIT NO AIR 105



Notes: