


## HIPY 110 IP67 LED GE

With its IP67 rating and LED light source, Hipy is the perfect outdoor ground spot. Since the light beam does not generate any heat, you can safely walk over it barefoot, like a true hippy. Hipy is available in round and square variants. Besides the traditional Hipy, we also offer an asymmetrical version, which makes an ideal facade spotlight. Last but not least, Hipy is also available with sunglasses, i.e. an anti-glare grid. Hipy now comes with updated LED, featuring some slight visual differences: our Hipy 70 model is fitted with a full-size reflector and Hipy 110 features a smaller, central reflector.

Art. Nr. 12345405

### SPECIFICATIONS

Lamp	1x LED Array		
Gear / Transfo	LED gear not incl.		
Cut-out size	ø 100 h 105		
Weight	0.625kg		
Min. Distance			
IP	IP65/IP67		
Glow Wire Test	960°		
CRI	90		
Power supply	350mA 17.8Vf	<b>500mA</b> <b>18.4Vf</b>	700mA 19.3Vf
Connected load	6,2W	<b>9,2W</b>	13,4W
Lumen	408lm	<b>547lm</b>	703lm
Efficacy	66lm/W	<b>59lm/W</b>	52lm/W
UGR	12	<b>13</b>	13
Adjustability	Not Applicable		



This label is available in other languages:  
<http://supermodular.com/assets/TYPE2.pdf>

	WARM WHITE 3000K / CRI 90+
	FLOOD 40°
alu	<b>12345405</b>



---

## HIPY 110 IP67 LED GE

---

### ACCESSORIES

#### CONBOX

---

12349830		CONBOX Ø114 H165
----------	--	------------------

#### DRIVER-LED

---

12403730		LED GEAR 350MA 15W
----------	--	--------------------

