

## REKTOR RECESSED LED GE


Rektor, the surface-mounted spotlight by Modular, will guide the way around your space. Rektor is a surprising fixture, as it is highly directional despite the super-sleek housing. This makes it a perfect example of accent lighting. Its extensive adjustability and metal colour accent on the housing make it a genuine must-have. Rektor is also handy for highlighting a wall or specific object. Rektor is very versatile in use, as it can also be mounted on the MP78 light line. Recently launched Rektor recessed is nothing more, but also nothing less, than a highly adjustable ceiling spotlight. Pure essence of lighting.

Art. Nr. 12822109

## SPECIFICATIONS

Lamp	1x LED Array	
Gear / Transfo	LED gear not incl.	
Cut-out size	ø 65 h 70	
Weight	0.74kg	
Min. Distance	0.1	
IP	IP20	
Glow Wire Test	960°	
Source lifetime	50000 hrs	
CRI	90	
Power supply	350mA 31Vf	<b>500mA 33Vf</b>
Connected load	11W	<b>16.25W</b>
Lumen	884lm	<b>1212lm</b>
Efficacy	80lm/W	<b>75lm/W</b>
UGR	20	<b>21</b>
Adjustability	h 360° v -90°/+90°	

	WARM WHITE 2700K / CRI 90+		WARM WHITE 3000K / CRI 90+	
	MEDIUM 25°	FLOOD 40°	MEDIUM 25°	FLOOD 40°
black struc	12821032	12821132	12822032	12822132
white struc	12821009	12821109	12822009	<b>12822109</b>



This label is available in other languages:  
<http://supermodular.com/assets/TYPE2.pdf>



Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on [www.supermodular.com](http://www.supermodular.com).

---

## REKTOR RECESSED LED GE

### ACCESSORIES

#### CONBOX

---

10490330 | CONBOX 112X172X100X236

