

Date

Name

Client

Project Name



Quote#


Type/Quantity

HELI X SCREEN LED WW

202 04 22

[Weblink](#)



Cutout shape/size:  75 x 87 mm

Recessed depth: 60 mm

Available colors: ALU GREY (202 04 22 A)
DARK GREY (202 04 22 N)

INCL.PC SBL
INCL.1 x POWERLED WHITE 1,1W / CRI>80 / 3000K
EXCL.LED POWER SUPPLY 350mA-DC

LED Technics: Light source: 120 lm // 1.1 W // 122 lm/W
Luminaire: 18 lm // 2 W // 9 lm/W

Class: III

Weight: 0.3 KG

Protection level: IP54

Minimum distance: n.a.

Options: CONCRETE BOX 187
LED POWER SUPPLY 350mA-DC DIM













For detailed installation instructions, please consult the manual. [202 04 22 HAND.pdf](#)

HELI X SCREEN LED WW

202 04 22

Related references


LED POWER SUPPLIES

<p>Weblink / Specs sheet</p>  <p>LED POWER CONVERTOR 24V -> 350mA / 15W 300 2415 350 Number of luminaires: 3 -> 12</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 15W 300 90 91 100-240V / 50-60Hz Number of luminaires: 11</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 16W DIM8 300 90 3112 110-240V / 50-60Hz Number of luminaires: 7 -> 12</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 17W 300 90 913 100-240V / 50-60Hz Number of luminaires: 13(9)</p>
<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 18W DIM8 300 90 116 220-240V / 50-60Hz Number of luminaires: 10 -> 14</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY 350mA-DC / 8W 300 90 108 100-240V / 50-60Hz Number of luminaires: 6</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER 300 90 914 110-240V / 50-60Hz Number of luminaires: 19 / - / - / -</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM1 300 90 64 120-240V / 50-60Hz Number of luminaires: 15(11) / - / -</p>
<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 50-60Hz Number of luminaires: 11 / - / - / -</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Number of luminaires: 11 / - / -</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM7 300 90 60 110-240V / 50-60Hz Number of luminaires: 11 / - / -</p>	<p>Weblink / Specs sheet</p>  <p>LED POWER SUPPLY MULTI-POWER DIM9 300 90 63 120-240V / 50-60Hz Number of luminaires: 19 / - / - / -</p>

Related references

CONTROL GEAR, BALLAST AND TRANSFORMERS

[Weblink / Specs sheet](#)




LED POWER CONVERTOR
24V-DC TO MULTI CURRENT
48W DIM9
300 90 67

Number of luminaires: 3x(3->12) / - / -

Related references

CONCRETE BOXES

[Weblink / Specs sheet](#)



CONCRETE BOX 187
270 11 187

HELI X SCREEN LED WW
202 04 22

Project picture

