



K



Decorative simplicity

Every project needs a basic spotlight for general lighting. K is our suggestion if you like to keep things simple. Available with a diameter of 80 or 89mm, a flat or sloping edge and in aluminium or with a white or black structure, K integrates easily into any room. Choose the directional model for a greater interplay of light. Available with halogen and LED.

ACCESSORIES

ELECTRICAL - DRIVERS

SEE GOODIES SECTION

INSTALLATION - CONBOX

10889830 CONBOX 190x192x130x256

INSTALLATION - GYPKIT

K-035 65 / K-135 67

12290130 GYPKIT 190X190 - Ø60

K-0 80 / K-2 80

12290130 GYPKIT 190X190 - Ø70

K-1 89 / K-3 89

12290230 GYPKIT 190X190 - Ø80

LIGHTING - COLOUR FILTER

K-0 80 LED / K-1 89 LED

10213813 COLOUR FILTER Ø44 RED

10213814 COLOUR FILTER Ø44 YELLOW

10213815 COLOUR FILTER Ø44 GREEN

10213816 COLOUR FILTER Ø44 BLUE

LIGHTING - ANTIGLARE

K-0 80 LED / K-1 89 LED

10212803 SPREADLENS Ø44

10213103 SOFTLENS Ø44



10213702 HONEYCOMB Ø44 BLACK

ALL

10280102 BL RING HIGH K0/K1/K2/K3 BLACK

ECO LED GE

K-O 80 LED GE



1X LED ARRAY INCL. 10.5W



Icons: III, 500mA 21V DC, IP20, GWT 960°, 0.45KG, ▲

	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	10274105	10274005	10274305	10274205
black	10274102	10274002	10274302	10274202
white struc	10274101	10274001	10274301	10274201

! ALSO AVAILABLE IN 3000K AND 3500K

ECO LED RG

K-O 80 LED RG



1X LED ARRAY INCL. 10.5W

Icons: 230V, IP20, GWT 960°, 0.45KG, ▲



NOT DIMMABLE	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	10272505	10272705	10272905	10273105
black	10272502	10272702	10272902	10273102
white struc	10272501	10272701	10272901	10273101

1-10V/PUSHDIM	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	10272405	10272605	10272805	10273005
black	10272402	10272602	10272802	10273002
white struc	10272401	10272601	10272801	10273001

! ALSO AVAILABLE IN 3000K AND 3500K

ECO LED

K-O 80 LED retrofit





1X LED GU10 INCL. 5.5W

Icons: 230V, R,L, IP20, GWT 960°, 0.29KG, ▲

	WARM WHITE 2700K MEDIUM 25°	
	alu	10272005
black	10272002	
white struc	10272001	

HALOGEN 230V

K-O 80 GU10



1X QPAR 16 GU10 MAX. 50W



Icons: 230V, R,L, IP20, GWT 960°, 0.16KG, ▲

alu	10274805
black	10274802
white struc	10274801

K

HALOGEN 12V GE

K-0 80 MR16 GE





1X QR-CBC 51 GX5.3 MAX. 50W




alu	10270005
black	10270002
white struc	10270001

ECO LED GE

K-1 89 LED GE



1X LED ARRAY INCL. 10.5W





	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	10274505	10274405	10274705	10274605
black	10274502	10274402	10274702	10274602
white struc	10274501	10274401	10274701	10274601

! ALSO AVAILABLE IN 3000K AND 3500K

ECO LED RG

K-1 89 LED RG



1X LED ARRAY INCL. 10.5W





NOT DIMMABLE	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	10273305	10273505	10273705	10273905
black	10273302	10273502	10273702	10273902
white struc	10273301	10273501	10273701	10273901

1-10V/PUSHDIM	WARM WHITE 2700K / CRI90+		NEUTRAL WHITE 4000K / CRI80+	
	MEDIUM 25°	FLOOD 50°	MEDIUM 25°	FLOOD 50°
alu	10273205	10273405	10273605	10273805
black	10273202	10273402	10273602	10273802
white struc	10273201	10273401	10273601	10273801

! ALSO AVAILABLE IN 3000K AND 3500K

ECO LED

K-1 89 LED retrofit





1X LED GU10 INCL. 5.5W



	WARM WHITE 2700K	
	MEDIUM 25°	FLOOD 50°
alu	10272105	
black	10272102	
white struc	10272101	

HALOGEN 230V

K-1 89 GU10





1X QPAR 16 GU10 MAX. 50W

alu	10274905
black	10274902
white struc	10274901

HALOGEN 12V GE

K-1 89 MR16 GE





1X QR-CBC 51 GX5.3 MAX. 50W

alu	10270105
black	10270102
white struc	10270101

HALOGEN 12V GE

K-035 65 MR11 GE





1X QR-CBC 35 GU4 MAX. 35W

alu	10271005
black	10271002
white struc	10271001

HALOGEN 230V

K-2 80 GU10




1X QPAR 16 GU10 MAX. 50W

alu	10275205
black	10275202
white struc	10275209

K

HALOGEN 12V GE

K-2 80 MR16 GE





1X QR-CBC 51 GX5.3 MAX. 50W



alu	10270205
black	10270202
white struc	10270201

HALOGEN 12V GE

K-135 67 MR11 GE





1X QR-CBC 35 GU4 MAX. 35W



alu	10271105
black	10271102
white struc	10271101

HALOGEN 230V

K-3 89 GU10





1X QPAR 16 GU10 MAX. 50W




alu	10275305
black	10275302
white struc	10275309

HALOGEN 12V GE

K-3 89 MR16 GE



1X QR-CBC 51 GX5.3 MAX. 50W



alu	10270305
black	10270302
white struc	10270301

