

WAINGRO: 50W SMD LED floodlight with bracket, grill and 3m cable









DATI TECNICI / SPECIFICATION / CARACTÉRISTIQUES / CARACTERISTICAS / SPEZIFIKATIONEN

Product name:	WAINGRO
Power supply:	220V~ 50/60Hz
Power supply included:	YES
Type of power supply:	INTERNAL DRIVER
Light technology:	2835 SMD LED
Power (W):	50
Lumen:	3800
Kelvin degrees:	6500K
Light beam:	DIFFUSE
Materials:	ALUMINIUM
Insulation class:	
Colour:	Red
Switch:	NO
Plug:	Type E / F - 2 pin (EU Hybrid)
Guarantee:	2 ANNI
Product width (mm):	310
Product depth (mm):	120
Product height (mm):	340
Net weight kg):	2,07

DESCRIZIONE / DESCRIPTION / DESCRIPTION / DESCRIPCIÓN / BESCHREIBUNG

Power: the energy-saving 50W / 4000 lumen LED spotlight illuminates the construction site with a cold white light (6500K) and optimizes working conditions, even outdoors (IP65); average lifespan of 25,000 hours, energy class a + with low consumption. practically everywhere: the portable lamp is useful for work outside, on the construction site, in the workshop, in the garden, on the camping site or in the garage; the headlight is also waterproof and is suitable for both indoor and outdoor use. Easy to use: adjustable metal bracket with padded handle to easily move the work lamp on the construction site; wide base for better stability; the protection grid is a guarantee of product durability on construction sites. Simple: the construction site lamp is equipped with a long cable for power supply of 3 meters in neoprene (H05RN-F 3G1.0mm2), connectable to any European socket (schuko socket). Space-saving: the portable and folding spotlight is space-saving, it can be stored and transported comfortably.

DATI LOGISTICI / LOGISTIC INFORMATION / DONNEES LOGISTIQUES / DATOS LOGÍSTICOS / LOGISTISCHE DATEN

Packing type:	Colour box
Energy Label 2021:	https://www.velamp.com/energylabels2021/IS766.jpg
Link database eprel:	http://eprel.ec.europa.eu/qr/962949









