



## MINI MULTIPLE FOR 3X LED GE

Twenty years after its initial launch, Mini multiple is still a coveted luminaire. Mini multiple is the reference of our architectural lighting portfolio. The technology is on full display and allows this luminaire to fit well into both a minimalist and an industrial-chic environment. The gimbaled system allows you to direct the light source at any angle of your choice. Mini multiple has a very subtle alu trim. Available in one-, two-, three- and four lamps versions in different colours. Connect Mini multiple with Smart by adding the Smart frontings to your recessed spot.

Art. Nr. 13130205

### SPECIFICATIONS

Lamp	3x LED (not incl.)
Gear / Transfo	LED gear not incl.
Cut-out size	l 315 w 110 h 120
Weight	1.43kg
Min. Distance	0.1 m
Power supply	
IP	IP20
Glow Wire Test	960°
Adjustability	v -35°/+35°
Remark	! must be used with M-LED 70

alu - black	13130205
white struc	13130209



## MINI MULTIPLE FOR 3X LED GE

### ACCESSORIES

#### GYPKIT

10420330 | GYPKIT 345X287X315X110

#### CONBOX

10400330 | CONBOX 257X327X147X321

#### M-LED

14070002	M-LED 70 2700K SPOT GE BLACK MATT
14070009	M-LED 70 2700K SPOT GE WHITE STRUC
14070102	M-LED 70 2700K MEDIUM GE BLACK MATT
14070109	M-LED 70 2700K MEDIUM GE WHITE STRUC
14070202	M-LED 70 2700K FLOOD GE BLACK MATT
14070209	M-LED 70 2700K FLOOD GE WHITE STRUC
14070302	M-LED 70 3000K SPOT GE BLACK MATT
14070309	M-LED 70 3000K SPOT GE WHITE STRUC
14070402	M-LED 70 3000K MEDIUM GE BLACK MATT
14070409	M-LED 70 3000K MEDIUM GE WHITE STRUC
14070502	M-LED 70 3000K FLOOD GE BLACK MATT
14070509	M-LED 70 3000K FLOOD GE WHITE STRUC
14070602	M-LED 70 4000K SPOT GE BLACK MATT
14070609	M-LED 70 4000K SPOT GE WHITE STRUC
14070702	M-LED 70 4000K MEDIUM GE BLACK MATT
14070709	M-LED 70 4000K MEDIUM GE WHITE STRUC
14070802	M-LED 70 4000K FLOOD GE BLACK MATT
14070809	M-LED 70 4000K FLOOD GE WHITE STRUC



