

PRODUCT-DETAILS

EPC62B25

EPC62B25 Miniature Circuit Breaker



General Information

Extended Product Type	EPC62B25
Product ID	2CDB112201R0255
EAN	5413656949220
Catalog Description	EPC62B25 Miniature Circuit Breaker
Long Description	MCB EPC60 6kA 2P B 25A

Ordering

Customs Tariff Number	85362010
EAN	5413656949220
Minimum Order Quantity	1 piece

Technical

Standards	IEC/EN 60898-1 IEC/EN 60947-2
Rated Current (I_n)	25 A
Number of Poles	2
Rated Frequency (f)	50 / 60 Hz
Degree of Protection	IP20
Energy Limiting Class	3
Overvoltage Category	III
Pollution Degree	2
Rated Impulse Withstand	6 kV

Voltage (U_{imp})

Rated Operational Voltage	400 V AC
Rated Short-Circuit Capacity	(415 V AC) 6 kA
Rated Ultimate Short-Circuit Breaking Capacity (I_{cu})	(230 V AC) 20 kA (415 V AC) 10 kA
Tripping Characteristic	B
Width in Number of Modular Spacings	2

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Width	0.018 m
Product Net Height	0.086 m
Product Net Depth / Length	0.076 m
Product Net Weight	0.16 kg

Container Information

Package Level 1 Units	pack 12 piece
Package Level 1 Width	0.077 m
Package Level 1 Height	0.092 m
Package Level 1 Depth / Length	0.216 m
Package Level 1 Gross Weight	2.05 kg
Package Level 1 EAN	5413656949220

Classifications

Object Classification Code	Q
ETIM 5	EC000042 - Miniature circuit breaker (MCB)
ETIM 6	EC000042 - Miniature circuit breaker (MCB)
ETIM 7	EC000042 - Miniature circuit breaker (MCB)
eClass	V11.0 : 27141901
UNSPSC	39121603

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → ABB VY → MCB Compact ABB VY

