





MARCEL 1X LED GE

Marcel meets every customer's requirements for a highly efficient retail lighting solution. Its ease-of-installation, adjustability and the endless possibilities procured by different LED sources and different lamp versions (one, two or three lamps) make Marcel an extremely versatile fixture.

SPECIFICATIONS						
Lamp	1x LED Array					
Gear / Transfo	LED gear not incl.					
Cut-out size	I 135 w 135 h 200					
Weight	1.21kg					
Min. Distance	0.1 m					
IP	IP20	IP20				
Glow Wire Test	960°	960°				
CRI	92					
Power supply	500	700	900	1050		
	28.1	28.7	29.1	29.5		
Connected load	14.1W	20.1W	25.5W	31W		
Lumen	1543Im	2051lm	2457Im	27981r		
Efficacy	109lm/W	102lm/W	96lm/W	901m/		
UGR	18	19	20	20		
Adjustability	h 360° v -30°/+30°					
Remark	! 3500K and 4000K on request					
MODULAR This luminaire contains built-in LED lamps. AT A A A A A A A A A A A A A A A A A A		label is available in //supermodular.com/				

	WARM WHITE 2700K / CRI 92+			WARM WHITE 3000K / CRI 92+		
	SPOT 15°	MEDIUM 25°	FLOOD 40°	SPOT 15°	MEDIUM 25°	FLOOD 40°
black struc	14091032	14091132	14091232	14091332	14091432	14091532
white struc	14091009	14091109	14091209	14091309	14091409	14091509

Modular reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com.

17/01/2017 - ©2017 Modular Lighting Instruments

Art. Nr. 14091332

MARCEL



MARCEL 1X LED GE

ACCESSORIES	
REFLECTOR	
11949930	REFLECTOR LED Ø80 SPOT
11949830	REFLECTOR LED Ø80 MEDIUM
11949730	REFLECTOR LED Ø80 FLOOD
LENSES	
10212703	SPREADLENS Ø79
10212700	TRANSPARANT GLASS Ø79
ANTIGLARE	
10212702	HONEYCOMB Ø79