





## ENTERO RD-S TRIMLESS 92745 GC

28425 9230 GC

BESCHIKBAAR IN  
**ZWART** 28425 9230 B  
**GOUD KLEUR** 28425 9230 GC  
**WIT** 28425 9230 W



0-30°/355°



 [Bekijk op website](#)

### Algemene info

<b>LOCATIE</b>	binnen
<b>INSTALLATIE</b>	Plafond Inbouw
<b>ZAAGMAAT/OPENING (MM)</b>	rond - Ø KIT
<b>INBOUWDIEPTE (MM)</b>	105
<b>STOF EN WATERDICHTHEID</b>	IP20
<b>GEWICHT (KG)</b>	0.235
<b>RICHTBAARHEID</b>	0° tot 30° zwenkbaar, 355° roteerbaar
<b>INFO</b>	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 350-700mA-DC Optional REFLECTOR 20° available

### Elektrische info

<b>KLASSE</b>	III
<b>ENERGIE KLASSE</b>	E

### Info lichtbron

Lightsource Name	LED
Lichtbron	LED array 5,8-12,4W / CRI>90 (R9: 60) / 2700K / 753-1403lm
TM-30-15 Waarden	Rf: 89 / Rg: 100
SDCM	SDCM1
Risk-groep	RG1
LM80	L90B10 > 50000
LED techniek (lichtbron)	1403lm // 12,4W // 113lm/W
LED techniek (toestel)	1076lm // 14W // 75lm/W

### Opmerkingen

Max.500mA when using accessories

### Benodigdheden

MOUNTING KIT ENTERO ROUND S  
MOUNTING KIT AIR 105  
LED POWER SUPPLY 350 / 500 / 700mA-DC DIM

# ENTERO RD-S TRIMLESS 92745 GC













28425 9230 GC

## Accessoires

ENTERO S HONEYCOMB  
 ENTERO S LINEAR SPREAD LENS  
 ENTERO S SPREAD LENS  
 ENTERO S SOFTENING LENS  
 ENTERO S GLASS SBL

Voor gedetailleerde montage gegevens, consulteer de handleiding: [28425\\_XXX0\\_HAND.pdf](#)










## PLAFOND COMPATIBILITEIT

Ceiling Type	Mounting Kit	
 <b>System ceiling</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Plasterboard</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Stucanet</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Wood</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Concrete + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Lintel + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Hollow-core slab + plaster</b>	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 <b>Stretched ceiling</b>	 MOUNTING KIT ENTERO RD-S CSC	Required
	 MOUNTING KIT ENTERO RD-S WSC	Required
 <b>Ventilation in plasterboard</b>	 MOUNTING KIT SIDE AIR ONLY 1	Required
	 MOUNTING KIT SIDE AIR 105	Required
	 MOUNTING KIT NO AIR 105	Required
 <b>Ventilation in concrete + plaster</b>	 MOUNTING KIT NO AIR 105	Required
	 MOUNTING KIT TOP AIR 105	Required
	 MOUNTING KIT TOP AIR ONLY 1	Required

## ENTERO RD-S TRIMLESS 92745 GC


28425 9230 GC

### VERVOLLEDIG UW SPECIFICATIE

LED voedingen	#
 <p><b>300 48 350 ED1</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 350 ED5</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 350 MDL</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 350 WDL</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 500 ED1</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM1</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 500 ED5</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 500 MDL</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W MDL</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 500 WDL</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL</p>	1->2 <input type="checkbox"/>
 <p><b>300 48 700 ED1</b> LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM1</p>	1->2 <input type="checkbox"/>


**ENTERO RD-S TRIMLESS 92745 GC**

28425 9230 GC




**300 48 700 ED5** LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5

1->2




**300 48 700 MDL** LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W MDL

1->2




**300 48 700 WDL** LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W WDL

1->2




**300 90 61** LED POWER SUPPLY MULTI-POWER DIM6

1->2 / 1->2 / 1->2




**300 90 63** LED POWER SUPPLY MULTI-POWER DIM9

1->4(4) / 1->3(3) / 1->3(3)




**300 90 64** LED POWER SUPPLY MULTI-POWER DIM7

1->2(2) / 1->2(1) / 1->2(1)




**300 90 67** LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9

1->2 / - / 1->2



**300 90 68** LED POWER SUPPLY MULTI-POWER DIM5

1->2(2) / 1->2(1) / 1->2(1)



**300 90 69** LED POWER SUPPLY MULTI-POWER HV DIM9

2->6(6) / 1->6(4) / 1->4(3)




**300 90 124** LED POWER SUPPLY MULTI-POWER DIM7

1->2(2) / 1->2(1) / 1(1)



## ENTERO RD-S TRIMLESS 92745 GC


28425 9230 GC



**300 90 125**

LED POWER SUPPLY MULTI-POWER MINI DIM5


1->2(2) / 1->2(1) / 1(1)



**300 90 135**

LED POWER SUPPLY MULTI-POWER HV


3->4 / 2->4 / 2->4



**21012 0010**

LED POWER SUPPLY MULTI POWER


1->2 / 1->2 / 1->2



**21012 0021**

LED POWER SUPPLY MULTI POWER DIM1


1->3 / 1->2 / 1->2



**21012 0035**

LED POWER SUPPLY MULTI POWER DIM5


1->3 / 1->2 / 1->2



**21012 004W**

LED POWER SUPPLY MULTI-POWER WDL


1->4(4) / 1->3(3) / 1->3(3)



**21012 005W**

LED POWER SUPPLY MULTI-POWER COMPACT WDL


1->3 / 1->2 / 1->2



**21012 0268**

LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8


2->2 / 2->2



**21012 0278**

LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1/1



**21012 0288**


LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2 / 2->2



## ENTERO RD-S TRIMLESS 92745 GC


28425 9230 GC



**21012 0298**

LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8


1->2 / 1->2 / 1->2 / 1



**21012 0308**

LED POWER SUPPLY 350mA / 7,35W DIM8


1



**21012 0318**

LED POWER SUPPLY 500mA / 10W DIM8


1



**21012 0328**

LED POWER SUPPLY 700mA / 15W DIM8


1



**21032 0295**

LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1->2



**21032 0305**

LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2



**21032 0315**


LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5

1->2

### Montage kit



**28400 0010** MOUNTING KIT ENTERO RD-S O.F.A.




**28500 0220** MOUNTING KIT DEEP ENTERO RD-S TRIMLESS

# ENTERO RD-S TRIMLESS 92745 GC

28425 9230 GC

## Montage kit spanplafond

---



**28400 0070** MOUNTING KIT ENTERO RD-S CSC




**28400 0130** MOUNTING KIT ENTERO RD-S WSC



## Montage kit - side air + light

---




**29810 0110** MOUNTING KIT SIDE AIR 105



## Montage kit - top air + light

---




**29810 0130** MOUNTING KIT TOP AIR 105



## Montage kit - side air only

---



**29810 0100** MOUNTING KIT SIDE AIR ONLY 1




**ENTERO RD-S TRIMLESS 92745 GC**

28425 9230 GC

**Montage kit - top air only**

---



**29810 0200** MOUNTING KIT TOP AIR ONLY 1



**Montage kit - no air**

---



**29810 0120** MOUNTING KIT NO AIR 105






# ENTERO RD-S TRIMLESS 92745 GC

28425 9230 GC

## Light veranderende onderdelen

---




**28500 0010** ENTERO S LINEAR SPREAD LENS



**28500 0020** ENTERO S SPREAD LENS




**28500 0030** ENTERO S SOFTENING LENS



**28500 0040** ENTERO S GLASS SBL



**28500 0050 B** ENTERO S HONEYCOMB SINGLE USE B



**28500 0060 B** ENTERO S HONEYCOMB DOUBLE USE B

Notes: